

**FORMATO EUROPEO
PER IL CURRICULUM
VITAE**



INFORMAZIONI PERSONALI

Nome
Telefono Ufficio
Fax Ufficio
E-mail

STEFANELLI LUIGI VITO

Nazionalità

Italiana

ISTRUZIONE E FORMAZIONE

•
Tipo di istituto di istruzione o
formazione
•
Tipo di istituto di istruzione o
formazione

Laurea in Ingegneria Civile dei Trasporti
Politecnico di Torino

Laurea in Odontoiatria e Protesi Dentaria
Sapienza Università di Roma

CAPACITÀ E COMPETENZE

PERSONALI

*Acquisite nel corso della vita e della
carriera ma non necessariamente
riconosciute da certificati e diplomi
ufficiali.*

MADRELINGUA

ITALIANO

ALTRE LINGUA

- Capacità di lettura
- Capacità di scrittura
- Capacità di espressione orale

INGLESE

ECCELLENTE
ECCELLENTE
ECCELLENTE

PUBBLICAZIONI

Accuracy of positioning of implants inserted using a mucosa-supported stereolithographic surgical guide in the edentulous maxilla and mandible. Cassetta M, Giansanti M, Di Mambro A, Stefanelli LV. Int J Oral Maxillofac Implants. 2014 Sep-Oct;29(5):1071-8. doi: 10.11607/jomi.3329.

Diagnosis and treatment of a rare case of adenomatoid odontogenic tumor in a young patient affected by attenuated familial adenomatous polyposis (aFAP): case report and 5 year follow-up. Marrelli M, Pacifici A, Di Giorgio G, Cassetta M, Stefanelli LV, Gargari M, Promenzio L, Annibali S, Cristalli MP, Chiarayalloti E, Pacifici L, Tatuilo M.

Eur Rev Med Pharmacol Sci. 2014;18(2):265-9.

How does an error in positioning the template affect the accuracy of implants

inserted using a single fixed mucosa-supported stereolithographic surgical guide?

Cassetta M, Di Mambro A, Giansanti M, Stefanelli LV, Barbato E.

Int J Oral Maxillofac Surg. 2014 Jan;43(1):85-92. doi: 10.1016/j.ijom.2013.06.012. Epub 2013 Aug 2.

The Influence of the Tolerance between Mechanical Components on the Accuracy of Implants Inserted with a Stereolithographic Surgical Guide: A Retrospective Clinical Study.

Cassetta M, Di Mambro A, Di Giorgio G, Stefanelli LV, Barbato E.

Clin Implant Dent Reiat Res. 2015 Jun;17(3):580-8. doi: 10.1111/cid.12120. Epub 2013 Jul 24. Accuracy of a computer-aided implant surgical technique.

Cassetta M, Stefanelli LV, Giansanti M, Di Mambro A, Calasso S.

Int J Periodontics Restorative Dent. 2013 May-Jun;33(3):317-25. doi: 10.11607/prd.1019.

Is it possible to improve the accuracy of implants inserted with a stereolithographic surgical guide by reducing the tolerance between mechanical components?

Cassetta M, Di Mambro A, Giansanti M, Stefanelli LV, Barbato E.

Int J Oral Maxillofac Surg. 2013 Jul;42(7):887-90. doi: 10.1016/j.ijom.2013.01.011. Epub 2013 Feb 18.

How accurate is CBCT in measuring bone density? A comparative CBCT-CT in vitro study.

Cassetta M, Stefanelli LV, Pacifici A, Pacifici L, Barbato E.

Clin Implant Dent Reiat Res. 2014 Aug;16(4):471-8. doi: 10.1111/cid.12027. Epub 2013 Jan 7.

Platelet Rich Fibrin (P.R.F.) in reconstructive surgery of atrophied maxillary bones: clinical and histological evaluations.

Tatullo M, Marrelli M, Cassetta M, Pacifici A, Stefanelli LV, Scacco S,

Dipalma G, Pacifici L, Inchingolo F.

Int J Med Sci. 2012;9(10):872-80. doi: 10.7150/ijms.5119. Epub 2012 Nov 7.

The accuracy of CBCT in measuring jaws bone density.

Cassetta M, Stefanelli LV, Di Carlo S, Pompa G, Barbato E.

Eur Rev Med Pharmacol Sci. 2012 Oct;16(10):1425-9.

The intrinsic error of a stereolithographic surgical template in implant guided surgery.

Cassetta M, Di Mambro A, Giansanti M, Stefanelli LV, Cavallini C.

Int J Oral Maxillofac Surg. 2013 Feb;42(2):264-75. doi: 10.1016/j.ijom.2012.06.010. Epub 2012 Jul 11.

Accuracy of implant placement with a stereolithographic surgical template.

Cassetta M, Stefanelli LV, Giansanti M, Calasso S.

Int J Oral Maxillofac Implants. 2012 May-Jun;27(3):655-63.

Depth deviation and occurrence of early surgical complications or unexpected events using a single stereolithographic surgical guide.

Cassetta M, Stefanelli LV, Giansanti M, Di Mambro A, Calasso S.

Int J Oral Maxillofac Surg. 2011 Dec;40(12):1377-87. doi: 10.1016/j.ijom.2011.09.009. Epub 2011 Oct 15.

Conferenze

Cai Academy congress in Lione, ottobre 2014

Simplant congress in Padova, novembre 2014

Cai Academy congress in Firenze, novembre 2015