

INFORMAZIONI PERSONALI

Luigi Vito Stefanelli

TITOLO DI STUDIO

Laurea in Ingegneria Civile dei trasporti presso politecnico Torino
 Laurea in Odontoiatria e protesi dentaria presso la "Sapienza"
 Università di Roma
 Dottore di ricerca in malattie odontostomatologiche presso la
 "Sapienza", Università di Roma

Lingua madre Italiano

Altre lingue

	COMPRESIONE		PARLATO		PRODUZIONE SCRITTA
	Ascolto	Lettura	Interazione	Produzione orale	
Inglese	Ottimo	Ottimo	Ottimo	Ottimo	Ottimo

Competenza digitale

AUTOVALUTAZIONE				
Elaborazione delle informazioni	Comunicazione	Creazione di Contenuti	Sicurezza	Risoluzione di problemi
Avanzato	Avanzato	Avanzato	Avanzato	Avanzato

Patente di guida B

ULTERIORI INFORMAZIONI

Pubblicazioni

[Accuracy of a Dynamic Dental Implant Navigation System in a Private Practice.](#)
Stefanelli LV, De Groot BS, Lipton DI, Mandelaris GA.
 Int J Oral Maxillofac Implants. In Press

[Dynamic Navigation for Surgical Implant Placement: Overview of Technology, Key Concepts, and a Case Report](#)
[Dynamic Navigation for Surgical Implant Placement: Overview of Technology, Key Concepts, and a Case Report.](#)
 Mandelaris GA, **Stefanelli LV**, DeGroot BS.
 Compend Contin Educ Dent. 2018 Oct;39(9):614-621; quiz 622.

[Bone Healing in Extraction Sockets Covered With Collagen Membrane Alone or Associated With Porcine-Derived Bone Graft: a Comparative Histological and Histomorphometric Analysis.](#)
 Guarnieri R, Testarelli L, **Stefanelli L**, De Angelis F, Mencio F, Pompa G, Di Carlo S.
 J Oral Maxillofac Res. 2017 Dec 31;8(4):e4. doi: 10.5037/jomr.2017.8404. eCollection 2017 Oct-Dec.

[Extraction Socket Preservation Using Porcine-Derived Collagen Membrane Alone or Associated with Porcine-Derived Bone. Clinical Results of Randomized Controlled Study.](#)
 Guarnieri R, **Stefanelli L**, De Angelis F, Mencio F, Pompa G, Di Carlo S.

J Oral Maxillofac Res. 2017 Sep 30;8(3):e5. doi: 10.5037/jomr.2017.8305. eCollection 2017 Jul-Sep.

[Factors Influencing the Soft Tissue Changes Around Single Laser Microtextured Implants-Abutments in the Anterior Maxilla: A 5-Year Retrospective Study.](#)

Guarnieri R, Savio L, Bermonds des Ambrois A, Ippoliti S, Zuffetti F, **Stefanelli LV**, Di Carlo S, Pompa G.

Implant Dent. 2016 Dec;25(6):807-816.

[Clinical, Radiographic, and Histologic Evaluation of Maxillary Sinus Lift Procedure Using a Highly Purified Xenogenic Graft \(Laddec®\).](#)

Guarnieri R, Belleggia F, Ippoliti S, DeVilliers P, **Stefanelli LV**, Di Carlo S, Pompa G.

J Oral Maxillofac Res. 2016 Mar 31;7(1):e3. doi: 10.5037/jomr.2016.7103. eCollection 2016 Jan-Mar.

[Accuracy of positioning of implants inserted using a mucosa-supported stereolithographic surgical guide in the edentulous maxilla and mandible.](#)

Cassetta M, Giansanti M, Di Mambro A, **Stefanelli LV**.

Int J Oral Maxillofac Implants. 2014 Sep-Oct;29(5):1071-8. doi: 10.11607/jomi.3329.

[Diagnosis and treatment of a rare case of adenomatoid odontogenic tumor in a young patient affected by attenuated familial adenomatous polyposis \(aFAP\): case report and 5 year follow-up.](#)

Marrelli M, Pacifici A, Di Giorgio G, Cassetta M, **Stefanelli LV**, Gargari M, Promenzio L, Annibali S, Cristalli MP, Chiaravalloti E, Pacifici L, Tatullo M.

Eur Rev Med Pharmacol Sci. 2014;18(2):265-9.

[How does an error in positioning the template affect the accuracy of implants inserted using a single fixed mucosa-supported stereolithographic surgical guide?](#)

Cassetta M, Di Mambro A, Giansanti M, **Stefanelli LV**, Barbato E.

Int J Oral Maxillofac Surg. 2014 Jan;43(1):85-92. doi: 10.1016/j.ijom.2013.06.012. Epub 2013 Aug 2.

[The Influence of the Tolerance between Mechanical Components on the Accuracy of Implants Inserted with a Stereolithographic Surgical Guide: A Retrospective Clinical Study.](#)

Cassetta M, Di Mambro A, Di Giorgio G, **Stefanelli LV**, Barbato E.

Clin Implant Dent Relat Res. 2015 Jun;17(3):580-8. doi: 10.1111/cid.12120. Epub 2013 Jul 24.

[Accuracy of a computer-aided implant surgical technique.](#)

Cassetta M, **Stefanelli LV**, Giansanti M, Di Mambro A, Calasso S.

Int J Periodontics Restorative Dent. 2013 May-Jun;33(3):317-25. doi: 10.11607/prd.1019.

[Is it possible to improve the accuracy of implants inserted with a stereolithographic surgical guide by reducing the tolerance between mechanical components?](#)

Cassetta M, Di Mambro A, Giansanti M, **Stefanelli LV**, Barbato E.

Int J Oral Maxillofac Surg. 2013 Jul;42(7):887-90. doi: 10.1016/j.ijom.2013.01.011. Epub 2013 Feb 18.

[How accurate is CBCT in measuring bone density? A comparative CBCT-CT in vitro study.](#)

Cassetta M, **Stefanelli LV**, Pacifici A, Pacifici L, Barbato E.

Clin Implant Dent Relat Res. 2014 Aug;16(4):471-8. doi: 10.1111/cid.12027. Epub 2013 Jan 7.

[Platelet Rich Fibrin \(P.R.F.\) in reconstructive surgery of atrophied maxillary](#)

[bones: clinical and histological evaluations.](#)

Tatullo M, Marrelli M, Cassetta M, Pacifici A, **Stefanelli LV**, Scacco S, Dipalma G, Pacifici L, Inchingolo F.

Int J Med Sci. 2012;9(10):872-80. doi: 10.7150/ijms.5119. Epub 2012 Nov 7.

[The accuracy of CBCT in measuring jaws bone density.](#)

Cassetta M, **Stefanelli LV**, Di Carlo S, Pompa G, Barbato E.

Eur Rev Med Pharmacol Sci. 2012 Oct;16(10):1425-9.

[The intrinsic error of a stereolithographic surgical template in implant guided surgery.](#)

Cassetta M, Di Mambro A, Giansanti M, **Stefanelli LV**, Cavallini C.

Int J Oral Maxillofac Surg. 2013 Feb;42(2):264-75. doi: 10.1016/j.ijom.2012.06.010. Epub 2012 Jul 11.

[Accuracy of implant placement with a stereolithographic surgical template.](#)

Cassetta M, **Stefanelli LV**, Giansanti M, Calasso S.

Int J Oral Maxillofac Implants. 2012 May-Jun;27(3):655-63.

[Depth deviation and occurrence of early surgical complications or unexpected events using a single stereolithographic surgi-guide.](#)

Cassetta M, **Stefanelli LV**, Giansanti M, Di Mambro A, Calasso S.

Int J Oral Maxillofac Surg. 2011 Dec;40(12):1377-87. doi: 10.1016/j.ijom.2011.09.009. Epub 2011 Oct 15.

Conferenze

Cai Academy congress in Lione, ottobre 2014
Simplant congress in Padova, novembre 2014
Cai Academy congress in Firenze, novembre 2015
DDS conference in Roma, maggio 2018
Cai Academy in Dubai Ottobre 2018

Appartenenza a gruppi /
associazioni

Scientific Board member of CAI ACADEMY
Master clinical trainer navident
Socio attivo DIRA

Docente master implantoprotesi presso "la Sapienza" Universita' di Roma dal 2014;
Docente al master di protesi presso "la Sapienza" Universita' di Roma dal 2015.

Autore di tre brevetti sulla chirurgia implantare guidata