

**FORMATO  
EUROPEO PER IL  
CURRICULUM VITAE**



**INFORMAZIONI PERSONALI**

|                 |                   |
|-----------------|-------------------|
| Nome            | ANTONIO NICOLUCCI |
| Indirizzo       |                   |
| Telefono        |                   |
| Fax             |                   |
| E-mail          |                   |
| Nazionalità     | italiana          |
| Data di nascita |                   |
| Codice fiscale  |                   |

**ESPERIENZA LAVORATIVA**

|                                         |                                                                     |
|-----------------------------------------|---------------------------------------------------------------------|
| Dal 2023                                |                                                                     |
| Nome e indirizzo del datore di lavoro   | European Diabetes Forum Italy                                       |
| • Tipo di azienda o settore             |                                                                     |
| • Tipo di impiego                       |                                                                     |
| • Principali mansioni e responsabilità  | Membro Steering Committee                                           |
| Dal 2020                                |                                                                     |
| • Nome e indirizzo del datore di lavoro | Associazione Medici Diabetologi                                     |
| • Tipo di azienda o settore             |                                                                     |
| • Tipo di impiego                       | Membro Comitato Scientifico                                         |
| • Principali mansioni e responsabilità  |                                                                     |
| Dal 2016                                |                                                                     |
| • Nome e indirizzo del datore di lavoro | Società Italiana di Diabetologia                                    |
| • Tipo di azienda o settore             |                                                                     |
| • Tipo di impiego                       | Membro del Centro Studi e Ricerche                                  |
| • Principali mansioni e responsabilità  |                                                                     |
| Dal 2015                                |                                                                     |
| • Nome e indirizzo del datore di lavoro | Center for Outcomes Research and Clinical Epidemiology (CORESEARCH) |
| • Tipo di azienda o settore             | SRL                                                                 |
| • Tipo di impiego                       | Direttore Scientifico e Amministratore unico                        |
| • Principali mansioni e responsabilità  |                                                                     |
| Dal 2011                                |                                                                     |
| • Nome e indirizzo del datore di lavoro | Italian Barometer Diabetes Observatory                              |

- Tipo di azienda o settore
  - Tipo di impiego
- Principali mansioni e responsabilità

Università di Tor Vergata, Roma  
Direttore Data Analysis Board

Dal 2006 al 2013

- Nome e indirizzo del datore di lavoro
  - Tipo di azienda o settore
    - Tipo di impiego
- Principali mansioni e responsabilità

Membro dell'Editorial Board della rivista Primary Care Diabetes

Dal 2006 al 2012

- Nome e indirizzo del datore di lavoro
  - Tipo di azienda o settore
    - Tipo di impiego
- Principali mansioni e responsabilità

Membro del Centro Studi e Ricerche, Associazione Medici Diabetologi

Dal 2005 al 2012

- Nome e indirizzo del datore di lavoro
  - Tipo di azienda o settore
    - Tipo di impiego

Membro dell'Editorial Board della rivista Diabetes, Metabolism and Cardiovascular Diseases.

- Principali mansioni e responsabilità

2004

- Nome e indirizzo del datore di lavoro
  - Tipo di azienda o settore
    - Tipo di impiego
- Principali mansioni e responsabilità

Consulente dell'OCSE come esperto in diabetologia

Dal 2004 al 2008

- Nome e indirizzo del datore di lavoro
  - Tipo di azienda o settore
    - Tipo di impiego
- Principali mansioni e responsabilità

Coordinatore del Gruppo di Studio 'Epidemiologia' della Società Italiana di Diabetologia

Dal 2003

- Nome e indirizzo del datore di lavoro
  - Tipo di azienda o settore
    - Tipo di impiego

Membro del Comitato Scientifico Internazionale dello studio NAVIGATOR (Nateglinide and Valsartan in the prevention of diabetes and cardiovascular outcomes)

- Principali mansioni e responsabilità

Dal 2003 al 2004

|                                                                                                                                                           |                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• Nome e indirizzo del datore di lavoro</li> <li>• Tipo di azienda o settore</li> <li>• Tipo di impiego</li> </ul> | Membro del Comitato Scientifico della Società Italiana di Diabetologia                                            |
| <ul style="list-style-type: none"> <li>• Principali mansioni e responsabilità</li> </ul>                                                                  |                                                                                                                   |
| Dal 2002 al 2010                                                                                                                                          |                                                                                                                   |
| <ul style="list-style-type: none"> <li>• Nome e indirizzo del datore di lavoro</li> <li>• Tipo di azienda o settore</li> <li>• Tipo di impiego</li> </ul> | Membro dell'Editorial Board dell'International Journal of Biological Markers                                      |
| <ul style="list-style-type: none"> <li>• Principali mansioni e responsabilità</li> </ul>                                                                  |                                                                                                                   |
| Dal 2001 al 2014                                                                                                                                          |                                                                                                                   |
| <ul style="list-style-type: none"> <li>• Nome e indirizzo del datore di lavoro</li> <li>• Tipo di azienda o settore</li> <li>• Tipo di impiego</li> </ul> | Fondazione Mario Negri Sud di Santa Maria Imbaro (CH)                                                             |
| <ul style="list-style-type: none"> <li>• Principali mansioni e responsabilità</li> </ul>                                                                  | Coordinatore del Dipartimento di Farmacologia Clinica e Epidemiologia                                             |
| 1999                                                                                                                                                      |                                                                                                                   |
| <ul style="list-style-type: none"> <li>• Nome e indirizzo del datore di lavoro</li> <li>• Tipo di azienda o settore</li> <li>• Tipo di impiego</li> </ul> | Consulente dell'European Agency for the Evaluation of Medicinal Products (EMA)                                    |
| <ul style="list-style-type: none"> <li>• Principali mansioni e responsabilità</li> </ul>                                                                  |                                                                                                                   |
| Dal 1998                                                                                                                                                  |                                                                                                                   |
| <ul style="list-style-type: none"> <li>• Nome e indirizzo del datore di lavoro</li> <li>• Tipo di azienda o settore</li> <li>• Tipo di impiego</li> </ul> | Membro dell'International Scientific Committee dello studio ATAC (Arimidex and Tamoxifen Alone or in Combination) |
| <ul style="list-style-type: none"> <li>• Principali mansioni e responsabilità</li> </ul>                                                                  |                                                                                                                   |
| Dal 1997 al 2014                                                                                                                                          |                                                                                                                   |
| <ul style="list-style-type: none"> <li>• Nome e indirizzo del datore di lavoro</li> <li>• Tipo di azienda o settore</li> <li>• Tipo di impiego</li> </ul> | Consortio/Fondazione Mario Negri Sud di Santa Maria Imbaro (CH)                                                   |
| <ul style="list-style-type: none"> <li>• Principali mansioni e responsabilità</li> </ul>                                                                  | Capo del Laboratorio di Epidemiologia Clinica del Diabete e dei Tumori                                            |
| Dal 1990 al 1997                                                                                                                                          |                                                                                                                   |
| <ul style="list-style-type: none"> <li>• Nome e indirizzo del datore di lavoro</li> <li>• Tipo di azienda o settore</li> <li>• Tipo di impiego</li> </ul> | Consortio Mario Negri Sud di Santa Maria Imbaro (CH)                                                              |
| <ul style="list-style-type: none"> <li>• Principali mansioni e responsabilità</li> </ul>                                                                  | Capo dell'Unità di Epidemiologia Clinica                                                                          |
| Dal 1996 al 2000                                                                                                                                          |                                                                                                                   |
| <ul style="list-style-type: none"> <li>• Nome e indirizzo del datore di lavoro</li> <li>• Tipo di azienda o settore</li> <li>• Tipo di impiego</li> </ul> | Membro del Comitato Scientifico dello Studio BENEDICT (Bergamo Nephrologic Diabetes Complications Trial)          |

- Principali mansioni e responsabilità

1996

- Nome e indirizzo del datore di lavoro
- Tipo di azienda o settore
- Tipo di impiego

Consulente della Comunità Europea nel settore della Salute Pubblica (Cancer Prediagnosis & Research Centers Project); DG1A

- Principali mansioni e responsabilità

Dal 1996 al 2000

- Nome e indirizzo del datore di lavoro
- Tipo di azienda o settore
- Tipo di impiego

Università Cattolica del Sacro Cuore, Roma

Professore a contratto di statistica, Scuola di Specializzazione in Patologia Clinica,

- Principali mansioni e responsabilità

1994

- Nome e indirizzo del datore di lavoro
- Tipo di azienda o settore
- Tipo di impiego

Vice-Direttore del Cochrane Center Italiano

Membro dell'Editorial Board del Cochrane Collaborative Review Group – Diabetes

- Principali mansioni e responsabilità

Dal 1992 al 1994

- Nome e indirizzo del datore di lavoro
- Tipo di azienda o settore
- Tipo di impiego

Università G. D'Annunzio – Via dei Vestini snc – 66100 Chieti

Professore a contratto di epidemiologia, Scuola di Specializzazione in Oncologia

- Principali mansioni e responsabilità

Dal 1992 al 1998

- Nome e indirizzo del datore di lavoro
- Tipo di azienda o settore
- Tipo di impiego

Università Cattolica del Sacro Cuore, Roma

Professore a contratto di epidemiologia e di prevenzione primaria e secondaria, Scuola di Specializzazione in Oncologia,

- Principali mansioni e responsabilità

Dal 1988

- Nome e indirizzo del datore di lavoro
- Tipo di azienda o settore
- Tipo di impiego

Coordinatore del Gruppo Interdisciplinare valutazione Interventi in Oncologia (GIVIO)

- Principali mansioni e responsabilità

- Dal 1988 al 1990
- Nome e indirizzo del datore di lavoro
    - Tipo di azienda o settore
    - Tipo di impiego
  - Principali mansioni e responsabilità
- Dal 1986 al 1988
- Nome e indirizzo del datore di lavoro
    - Tipo di azienda o settore
    - Tipo di impiego
  - Principali mansioni e responsabilità
- Dal 1982 al 1986
- Nome e indirizzo del datore di lavoro
    - Tipo di azienda o settore
    - Tipo di impiego
  - Principali mansioni e responsabilità

Consorzio Mario Negri Sud di Santa Maria Imbaro (CH)

Ricercatore presso il Consorzio Mario Negri Sud di Santa Maria Imbaro (CH), Laboratorio di Farmacologia Clinica ed Epidemiologia

Istituto di Ricerche Farmacologiche Mario Negri di Milano

Borsista FORMEZ presso l'Istituto di Ricerche Farmacologiche Mario Negri di Milano, Laboratorio di Epidemiologia Clinica

Frequenza presso l'Istituto di Medicina Interna dell'Università di Chieti, con compiti assistenziali e di ricerca

## ISTRUZIONE E FORMAZIONE

- 1989
- Nome e tipo di istituto di istruzione o formazione
    - Principali materie / abilità professionali oggetto dello studio
    - Qualifica conseguita
    - Livello nella classificazione nazionale (se pertinente)
- 1989
- Nome e tipo di istituto di istruzione o formazione
    - Principali materie / abilità professionali oggetto dello studio
    - Qualifica conseguita
    - Livello nella classificazione nazionale (se pertinente)
- 1984
- Nome e tipo di istituto di istruzione o formazione

l'Istituto di Ricerche Farmacologiche Mario Negri di Milano

Specializzazione in Farmacologia Clinica

Specializzazione in Farmacologia Clinica

Università G. D'Annunzio – Via dei Vestini snc – 66100 Chieti

Specializzazione in Medicina Interna

Specializzazione in Medicina Interna

Università G. D'Annunzio – Via dei Vestini snc – 66100 Chieti

- Principali materie / abilità professionali oggetto dello studio
- Qualifica conseguita
- Livello nella classificazione nazionale (se pertinente)

Abilitazione alla professione medica

Laurea in Medicina e Chirurgia

## CAPACITÀ E COMPETENZE PERSONALI

MADRELINGUA

[ Italiano ]

ALTRE LINGUA

[ Inglese ]

- Capacità di lettura [eccellente]
- Capacità di scrittura [eccellente]
- Capacità di espressione orale [eccellente]

[ Francese ]

- Capacità di lettura [buona]
- Capacità di scrittura [buona]
- Capacità di espressione orale [buona]

CAPACITÀ E COMPETENZE  
RELAZIONALI

*Vivere e lavorare con altre persone, in ambiente multiculturale, occupando posti in cui la comunicazione è importante e in situazioni in cui è essenziale lavorare in squadra (ad es. cultura e sport), ecc.*

[ Lavoro in equipe in ambito di ricerca scientifica da 30 anni. Contatto quotidiano con il proprio gruppo di ricerca. Frequenti e continuativi rapporti con l'esterno, soprattutto rappresentanti di società scientifiche e industrie farmaceutiche in tutto il mondo ]

CAPACITÀ E COMPETENZE  
ORGANIZZATIVE

*Ad es. coordinamento e amministrazione di persone, progetti, bilanci; sul posto di lavoro, in attività di volontariato (ad es. cultura e sport), a casa, ecc.*

[ HA coordinato per 10 anni il Dipartimento di Farmacologia Clinica e Epidemiologia del Consorzio Mario Negri Sud, composto da circa 100 ricercatori e personale tecnico di supporto. E' attualmente direttore scientifico di CORESEARCH ]

CAPACITÀ E COMPETENZE  
TECNICHE

*Con computer, attrezzature specifiche, macchinari, ecc.*

[ Utilizzo quotidiano del computer per la propria attività professionale. Uso di package statistici SAS e SPSS – Uso quotidiano dei programmi Microsoft Office (Word, Power Point, Excel )

CAPACITÀ E COMPETENZE  
ARTISTICHE

*Musica, scrittura, disegno ecc.*

ALTRE CAPACITÀ E COMPETENZE

*Competenze non precedentemente indicate.*

PATENTE O PATENTI

**ULTERIORI INFORMAZIONI**

Invited speaker a numerosi convegni internazionali, fra i quali American Diabetes Association, European Association for the Study of Diabetes, International Diabetes Federation, American Heart Association, European Heart Association

**ALLEGATI**

[ Elenco pubblicazioni scientifiche in lingua inglese ]

ALLEGATO: pubblicazioni scientifiche in lingua inglese (H index:91; citazioni:41893 al 15/04/2024).

1. Nappi RE, Meriggiola MC, Albani F, Bonaccorsi G, Carpinì GD, Gambera A, Marsini S, Nicolucci A, Rossi MC, Trionfera V, Villa P. Treating VVA improves symptom severity and patient-reported outcomes: 6-month PEONY results. *Climacteric*. 2025;28(2):115-125.
2. De Cosmo S, Pontremoli R, Giandalia A, Manicardi V, Rocca A, Nicolucci A, Rossi MC, Lucisano G, Graziano G, Di Bartolo P, Di Cianni G, Candido R, Russo GT; AMD Annals Study Group. Generalizability of kidney and cardiovascular protection by finerenone to the real world in Italy: insights from Fidelio and Figaro studies. *J Nephrol*. 2025;38(2):589-596.
3. Baronti W, Lencioni C, Occhipinti M, Nicolucci A, Cianni GD; Tuscany Study Group- Italian Diabetologists Association AMD. Real world effectiveness of oral semaglutide: Focus on patients with type 2 diabetes older than 75 years. *Diabetes Res Clin Pract*. 2024;218:111928.
4. Prattichizzo F, Veronesi V, Rigoni M, La Grotta R, Pellegrini V, Lucisano G, Nicolucci A, Berra CC, Carlsen HK, Eliasson B, Muti P, Ceriello A. Body weight variability as a predictor of cardiovascular outcomes in type 1 diabetes: A nationwide cohort study. *Diabetes Obes Metab*. 2025;27(2):490-500.
5. Garofolo M, Vitale M, Penno G, Solini A, Orsi E, Grancini V, Bonora E, Fondelli C, Trevisan R, Vedovato M, Nicolucci A, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Prognostic impact of switching to the 2021 chronic kidney disease epidemiology collaboration creatinine-based equation in Caucasian patients with type 2 diabetes: the Renal Insufficiency and Cardiovascular events (RIACE) Italian Multicenter Study. *Cardiovasc Diabetol*. 2024;23(1):377.
6. Russo GT, Nicolucci A, Lucisano G, Rossi MC, Ceriello A, Prattichizzo F, Manicardi V, Rocca A, Di Bartolo P, De Cosmo S, Di Cianni G, Candido R. When Does Metabolic Memory Start? Insights From the Association of Medical Diabetologists Annals Initiative on Stringent HbA1c Targets. *Diabetes*. 2025;74(1):75-81.
7. Napoli R, **Nicolucci A**, Larosa M, Rossi MC, Candido R; RESTORE-G (Retrospective analysis on the therapeutic approaches after GLP-1 RA treatment in type 2 diabetes patients) Study Group. Treatment intensification following glucagon-like peptide-1 receptor agonists in type 2 diabetes: Comparative effectiveness analyses between different basal insulins. RESTORE-G real-world study. *Diabetes Obes Metab*. 2024 Sep;26(9):3576-3586.
8. Russo GT, Giandalia A, Lucisano G, Rossi MC, Piscitelli P, Pontremoli R, Viazzi F, Rocca A, Manicardi V, Di Cianni G, Candido R, **Nicolucci A**, De Cosmo S; AMD Annals Study Group. Prevalence and clinical determinants of rapid eGFR decline among patients with newly diagnosed type 2 diabetes. *Eur J Intern Med*. 2024 Aug 10:S0953-6205(24)00332-7.
9. Russo GT, Manicardi V, Rocca A, **Nicolucci A**, Giandalia A, Lucisano G, Rossi MC, Graziano G, Di Bartolo P, De Cosmo S, Candido R, Di Cianni G; AMD Annals Study Group. Severe Hypertriglyceridemia in Patients with Type 2 Diabetes Mellitus Participating in the AMD Annals Initiative. *Metab Syndr Relat Disord*. 2024 Aug 1.
10. Baccetti F, Crisafulli C, Andreozzi F, Mannino GC, **Nicolucci A**, Michelli A, Miranda C, Candido R, Di Bartolo P, Di Cianni G, Russo GT, Mannino D. Profiles of sulfonylurea use in Diabetes Mellitus type 2: an analysis of clinical practice over the last 10 years. *Diabetes Res Clin Pract*. 2024 Aug;214:111781.
11. Candido R, **Nicolucci A**, Larosa M, Rossi MC, Napoli R; RESTORE-G (Retrospective analysis on the therapeutic approaches after GLP-1 RA treatment in type 2 diabetes patients) Study Group. Treatment intensification following glucagon-like peptide-1 receptor agonist in type 2 diabetes: Comparative effectiveness analyses between free vs. fixed combination of GLP-1 RA and basal insulin. RESTORE-G real-world study. *Nutr Metab Cardiovasc Dis*. 2024 Aug;34(8):1846-1853.
12. Giandalia A, **Nicolucci A**, Modugno M, Lucisano G, Rossi MC, Manicardi V, Rocca A, Di Cianni G, Di Bartolo P, Candido R, Cucinotta D, Russo GT. Temporal trends in the starting of insulin therapy in type 2 diabetes in Italy: data from the AMD Annals initiative. *J Endocrinol Invest*. 2024 Aug;47(8):2087-2096.

13. Cappa M, d'Aniello F, Digilio MC, Gagliardi MG, Minotti C, Leoncini PP, Pietropoli A, **Nicolucci A**, Graziano G, Ubertini G. Noonan Syndrome Growth Charts and Genotypes: 15-Year Longitudinal Single-Centre Study. *Horm Res Paediatr*. 2024 Jul 22:1-13.
14. Russo G, De Cosmo S, Di Bartolo P, Lucisano G, Manicardi V, **Nicolucci A**, Rocca A, Rossi MC, Di Cianni G, Candido R; AMD Annals Study Group. The quality of care in type 1 and type 2 diabetes - A 2023 update of the AMD Annals initiative. *Diabetes Res Clin Pract*. 2024 Jul;213:111743.
15. Solini A, Orsi E, Vitale M, Garofolo M, Resi V, Bonora E, Fondelli C, Trevisan R, Vedovato M, **Nicolucci A**, Penno G, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Independent association of estimated pulse-wave velocity with all-cause mortality in individuals with type 2 diabetes. *QJM*. 2024 Jul 1;117(7):495-502.
16. Garofolo M, Penno G, Solini A, Orsi E, Vitale M, Resi V, Bonora E, Fondelli C, Trevisan R, Vedovato M, **Nicolucci A**, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Relationship between degree of risk factor control and all-cause mortality in individuals with type 2 diabetes: A prospective cohort study. *Eur J Intern Med*. 2024 Jun 5:S0953-6205(24)00236-X.
17. Haxhi J, Vitale M, Mattia L, Giuliani C, Sacchetti M, Orlando G, Iacobini C, Menini S, Zanuso S, **Nicolucci A**, Balducci S, Pugliese G. Effect of sustained decreases in sedentary time and increases in physical activity on liver enzymes and indices in type 2 diabetes. *Front Endocrinol (Lausanne)*. 2024 May 24;15:1393859.
18. Rossi MC, Bonfanti R, Graziano G, Larosa M, Lombardo F, **Nicolucci A**, Vespasiani G, Zucchini S, Rabbone I; ISPED CARD Study Group. Effectiveness of switching from first-generation basal insulin to Glargine 300 U/mL in children and adolescents with type 1 diabetes: results from the ISPED CARD database. *Acta Diabetol*. 2024 May 24.
19. Delphi Board; Buzzetti R, Candido R, Esposito K, Giaccari A, Mannucci E, **Nicolucci A**, Russo GT. Open questions on basal insulin therapy in T2D: a Delphi consensus. *Acta Diabetol*. 2024 May 20.
20. Atella V, Belotti F, Giaccherini M, Medea G, Piano Mortari A, Sbraccia P, **Nicolucci A**. The interplay between excess weight and hyper-glycemia on NCDs in Italy: results from a cross-sectional study. *Acta Diabetol*. 2024 May 13.
21. Vitale M, Orsi E, Solini A, Garofolo M, Grancini V, Bonora E, Fondelli C, Trevisan R, Vedovato M, Penno G, **Nicolucci A**, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group\*. Association between age at diagnosis and all-cause mortality in type 2 diabetes: the Renal Insufficiency and Cardiovascular Events (RIACE) Italian Multicenter Study. *Acta Diabetol*. 2024 May 7.
22. Meriggiola MC, Villa P, Maffei S, Becorpi A, Di Paolantonio T, **Nicolucci A**, Salvatore S, Nappi RE; PEONY Study Group. Vulvovaginal atrophy in women with and without a history of breast cancer: Baseline data from the PatiEnt satisfactiON studY (PEONY) in Italy. *Maturitas*. 2024 May;183:107950.
23. **Nicolucci A**, Graziano G, Lombardo F, Rabbone I, Rossi MC, Vespasiani G, Zucchini S, Bonfanti R; ISPED CARD Study Group. Continuous improvement of quality of care in pediatric diabetes: the ISPED CARD clinical registry. *Acta Diabetol*. 2024 May;61(5):599-607.
24. Atella V, Belotti F, Giaccherini M, Medea G, **Nicolucci A**, Sbraccia P, Mortari AP. Lifetime costs of overweight and obesity in Italy. *Econ Hum Biol*. 2024 Apr;53:101366.
25. Da Porto A, Candido R, Rocca A, Manicardi V, **Nicolucci A**, Miranda C, Cimino E, Di Bartolo P, Di Cianni G, Russo G. Quality of care and clinical inertia in the management of cardiovascular risk factors in patients with type 1 and type 2 diabetes: data from AMD annals. *J Endocrinol Invest*. 2024 Mar 4.
26. Mameli C, Rigamonti A, Felappi B, **Nicolucci A**, Lucisano G, Baresi S, Florini G, Macedoni M, Petitti A, Hajro A, Tortu G, Pistone C, Guerraggio LP, Zampolli M, Zuccotti G, Bonfanti R.

27. D'Erasmo L, Di Martino M, Neufeld T, Fraum TJ, Kang CJ, Burks KH, Di Costanzo A, Minicocci I, Bini S, Maranghi M, Pigna G, Labbadia G, Zheng J, Fierro D, Montali A, Ceci F, Catalano C, Davidson NO, Lucisano G, **Nicolucci A**, Arca M, Stitzel NO. ANGPTL3 Deficiency and Risk of Hepatic Steatosis. *Circulation.* 2023 Nov 7;148(19):1479-1489.
28. Candido R, **Nicolucci A**, Larosa M, Rossi MC, Napoli R; RESTORE-G (Retrospective analysis on the therapeutic approaches after GLP-1 RA treatment in type 2 diabetes patients) Study Group. Treatment intensification following glucagon-like peptide-1 receptor agonist treatment in type 2 diabetes: The RESTORE-G real-world study. *Nutr Metab Cardiovasc Dis.* 2023 Nov;33(11):2294-2305.
29. Balducci S, Haxhi J, Vitale M, Mattia L, Sacchetti M, Orlando G, Cardelli P, Iacobini C, Bollanti L, Conti F, Zanuso S, **Nicolucci A**, Pugliese G; Italian Diabetes and Exercise Study 2 (IDES\_2) Investigators. Sustained increase in physical fitness independently predicts improvements in cardiometabolic risk profile in type 2 diabetes. *Diabetes Metab Res Rev.* 2023 Sep;39(6):e3671.
30. Iannone A, Natale P, Palmer SC, **Nicolucci A**, Rendina M, Giorgino F, Laviola L, Di Leo A, Strippoli GFM. Clinical outcomes associated with drugs for obesity and overweight: A systematic review and network meta-analysis of randomized controlled trials. *Diabetes Obes Metab.* 2023 Sep;25(9):2535-2544.
31. Ceriello A, Lucisano G, Prattichizzo F, La Grotta R, Frigé C, De Cosmo S, Di Bartolo P, Di Cianni G, Fioretto P, Giorda CB, Pontremoli R, Russo G, Viazzi F, **Nicolucci A**; AMD Annals study group. The legacy effect of hyperglycemia and early use of SGLT-2 inhibitors: a cohort study with newly-diagnosed people with type 2 diabetes. *Lancet Reg Health Eur.* 2023 Jun 12;31:100666.
32. Atella V, Belotti F, Cricelli C, Giaccherini M, Medea G, **Nicolucci A**, Piano Mortari A, Sbraccia P. Outpatient healthcare costs associated with overweight and obesity in Italy. *BMC Health Serv Res.* 2023 Jun 12;23(1):619.
33. Russo G, Di Bartolo P, Candido R, Lucisano G, Manicardi V, Giandalia A, **Nicolucci A**, Rocca A, Rossi MC, Di Cianni G; AMD Annals Study Group. The AMD ANNALS: A continuous initiative for the improvement of type 2 diabetes care. *Diabetes Res Clin Pract.* 2023;199:110672.
34. Bongaerts B, Kuss O, Bonnet F, Chen H, Cooper A, Fenici P, Gomes MB, Hammar N, Ji L, Khunti K, Medina J, **Nicolucci A**, Shestakova MV, Watada H, Rathmann W. HbA1c trajectories over 3 years in people with type 2 diabetes starting second-line glucose-lowering therapy: The prospective global DISCOVER study. *Diabetes Obes Metab.* 2023 Mar 12.
35. Ceriello A, Lucisano G, Prattichizzo F, La Grotta R, Franzén S, Gudbjörnsdóttir S, Eliasson B, **Nicolucci A**. Risk factors variability and cardiovascular risk among patients with diabetes: a nationwide observational study. *Eur J Prev Cardiol.* 2023 Mar 10:zwad072.
36. Chianelli M, Busetto L, Attanasio R, Disoteo OE, Borretta G, Persichetti A, Samperi I, Scoppola A, Paoletta A, Grimaldi F, Papini E, **Nicolucci A**. Obesity management: Attitudes and practice of Italian endocrinologists. *Front Endocrinol (Lausanne).* 2023 Jan 17;13:1061511.
37. Charbonnel BH, Chen H, Cid-Ruzafa J, Cooper A, Fenici P, Gomes MB, Saraiva GL, Medina J, **Nicolucci A**, Shestakova MV, Shimomura I, Surmont F, Tang F, Vora J, Watada H, Khunti K; DISCOVER Investigators. Treatment patterns and glycated haemoglobin levels over 36 months in individuals with type 2 diabetes initiating second-line glucose-lowering therapy: The global DISCOVER study. *Diabetes Obes Metab.* 2023;25:46-55.
38. Orsi E, Solini A, Penno G, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Lamacchia O, Haxhi J, **Nicolucci A**, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Body mass index versus surrogate measures of central adiposity as independent predictors of mortality in type 2 diabetes. *Cardiovasc Diabetol.* 2022;21:266.
39. Orsi E, Solini A, Bonora E, Vitale M, Garofolo M, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Zerbini G, **Nicolucci A**, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE)

Study Group. Retinopathy as an independent predictor of all-cause mortality in individuals with type 2 diabetes. *Diabetes Metab.* 2022;49:101413.

40. Russo GT, Andreozzi F, Calabrese M, Di Bartolo P, Di Cianni G, Bruno Giorda C, Lapice E, Manicardi E, Giandalia A, Lucisano G, **Nicolucci A**, Rocca A, Rossi MC, Spreafico E, Vespasiani G, Manicardi V; AMD Annals study group. Role of telemedicine during COVID-19 pandemic in type 2 diabetes outpatients: The AMD annals initiative. *Diabetes Res Clin Pract.* 2022;194:110158.
41. Candido R, Modugno M, Larosa M, Rossi MC, **Nicolucci A**, Gabellieri E; ENSURE Study Group. Effectiveness, Safety, and Appropriateness in the Use of the Fixed-Ratio Combination of Insulin Glargine and Lixisenatide in Type 2 Diabetes: The ENSURE Retrospective Real-World Study. *Diabetes Ther.* 2022 Nov 14:1–16.
42. Balducci S, Haxhi J, Vitale M, Mattia L, Bollanti L, Conti F, Cardelli P, Sacchetti M, Orlando G, Zanuso S, **Nicolucci A**, Pugliese G; Italian Diabetes, Exercise Study 2 IDES\_2 Investigators. Sustained decreases in sedentary time and increases in physical activity are associated with preservation of estimated  $\beta$ -cell function in individuals with type 2 diabetes. *Diabetes Res Clin Pract.* 2022;193:110140.
43. Russo GT, Giandalia A, Ceriello A, Di Bartolo P, Di Cianni G, Fioretto P, Giorda CB, Manicardi V, Pontremoli R, Viazzi F, Lucisano G, **Nicolucci A**, De Cosmo S. A prediction model to assess the risk of egr loss in patients with type 2 diabetes and preserved kidney function: The amd annals initiative. *Diabetes Res Clin Pract.* 2022;192:110092.
44. Buzzetti R, Fadini GP, **Nicolucci A**, Larosa M, Rossi MC, Cucinotta D; RESTORE-2 Study Group. Comparative effectiveness of Glargine 300 U/mL vs. Degludec 100 U/mL in patients with type 2 diabetes switching from 1° generation basal insulins. *Nutr Metab Cardiovasc Dis.* 2022;32:2255-2263.
45. Malik AO, Chen H, Tang F, Chan PS, Cooper A, Gomes MB, Hejjaji V, Ji L, Khunti K, Kosiborod M, **Nicolucci A**, Peri-Okonny PA, Shestakova MV, Vora J, Watada H, Arnold SV. Association of country economy and socioeconomic factors on risk factor control for primary prevention of cardiovascular disease in patients with diabetes mellitus: Insights from the DISCOVER study. *Indian Heart J.* 2022;74:398-405.
46. Di Dalmazi G, Coluzzi S, Baldassarre MPA, Ghit A, Graziano G, Rossi MC, Ciappini B, Milo M, Carrieri F, **Nicolucci A**, Consoli A, Formoso G. Effectiveness and Tolerability of Once-Weekly GLP-1 Receptor Agonists in Clinical Practice: A Focus on Switching Between Once-Weekly Molecules in Type 2 Diabetes. *Front Endocrinol (Lausanne).* 2022;13:892702.
47. **Nicolucci A**, Romeo L, Bernardini M, Vespasiani M, Rossi MC, Petrelli M, Ceriello A, Di Bartolo P, Frontoni E, Vespasiani G. Prediction of complications of type 2 Diabetes: A Machine learning approach. *Diabetes Res Clin Pract.* 2022;190:110013.
48. Fadini GP, Buzzetti R, **Nicolucci A**, Larosa M, Rossi MC, Cucinotta D; RESTORE-2 Study Group. Comparative effectiveness and safety of glargine 300 U/mL versus degludec 100 U/mL in insulin-naïve patients with type 2 diabetes. A multicenter retrospective real-world study (RESTORE-2 NAIVE STUDY). *Acta Diabetol.* 2022;59:1317-1330.
49. **Nicolucci A**, Leonardi L. Compatibility of PiC Insupen Needles with a Broad Range of Pens for the Injection of Subcutaneously Administered Drugs for Diabetes. *Med Devices (Auckl).* 2022;15:71-77.
50. **Nicolucci A**, Chen H, Cooper A, Fenici P, Gomes MB, Hammar N, Ji L, Khunti K, Kosiborod M, Medin J, Shestakova MV, Shimomura I, Tang F, Vora J, Watada H, Arnold SV; DISCOVER investigators. Quality of life in people with type 2 diabetes in the 3 years following initiation of second-line therapy: The DISCOVER study. *Diabetes Res Clin Pract.* 2022;185:109218.
51. Ceriello A, Lucisano G, Prattichizzo F, La Grotta R, Franzén S, Svensson AM, Eliasson B, **Nicolucci A**. HbA1c variability predicts cardiovascular complications in type 2 diabetes regardless of being at glycemic target. *Cardiovasc Diabetol.* 2022;21(1):13.

52. **Nicolucci A**, Maffeis C. The adolescent with obesity: what perspectives for treatment? Ital J Pediatr. 2022 Jan 15;48(1):9.
53. Arnold SV, Khunti K, Tang F, Chen H, **Nicolucci A**, Gomes MB, Ji L, Shestakova MV, Watada H, Cooper A, Fenici P, Hammar N, Medina J, Kosiborod M; DISCOVER investigators. Impact of micro- and macrovascular complications of type 2 diabetes on quality of life: Insights from the DISCOVER prospective cohort study. Endocrinol Diabetes Metab. 2022 Mar;5(2):e00321.
54. Balducci S, Haxhi J, Sacchetti M, Orlando G, Cardelli P, Vitale M, Mattia L, Iacobini C, Bollanti L, Conti F, Zanuso S, **Nicolucci A**, Pugliese G; Italian Diabetes and Exercise Study 2 (IDES\_2). Relationships of Changes in Physical Activity and Sedentary Behavior With Changes in Physical Fitness and Cardiometabolic Risk Profile in Individuals With Type 2 Diabetes: The Italian Diabetes and Exercise Study 2 (IDES\_2). Diabetes Care. 2022 Jan 1;45(1):213-221.
55. Arnold SV, Khunti K, Tang F, Chen H, Cid-Ruzafa J, Cooper A, Fenici P, Gomes MB, Hammar N, Ji L, Saraiva GL, Medina J, **Nicolucci A**, Ramirez L, Rathmann W, Shestakova MV, Shimomura I, Surmont F, Vora J, Watada H, Kosiborod M. Incidence rates and predictors of microvascular and macrovascular complications in patients with type 2 diabetes: Results from the longitudinal global discover study. Am Heart J. 2022;243:232-239.
56. **Nicolucci A**, Haxhi J, D'Errico V, Sacchetti M, Orlando G, Cardelli P, Vitale M, Bollanti L, Conti F, Zanuso S, Lucisano G, Balducci S, Pugliese G; Italian Diabetes and Exercise Study 2 (IDES\_2) Investigators. Effect of a Behavioural Intervention for Adoption and Maintenance of a Physically Active Lifestyle on Psychological Well-Being and Quality of Life in Patients with Type 2 Diabetes: The IDES\_2 Randomized Clinical Trial. Sports Med. 2022 Mar;52(3):643-654.
57. Messina R, Iommi M, Rucci P, Reno C, Fantini MP, Lunghi C, Altini M, Bravi F, Rosa S, **Nicolucci A**, Di Bartolo P. Is it time to consider depression as a major complication of type 2 diabetes? Evidence from a large population-based cohort study. Acta Diabetol. 2022 Jan;59(1):95-104.
58. Hwang H, Leonardi L, **Nicolucci A**. Accuracy of the Standard GlucoNavii Mentor in Blood Glucose Monitoring According to International Organization for Standardization 15197:2013 Criteria. JMIR Diabetes. 2022;7:e20774.
59. Hejjaji V, Gorgojo-Martinez JJ, Tang F, Garnelo JB, Cooper A, Medina J, Mutiozabal MS, Khunti K, **Nicolucci A**, Shestakova MV, Ji L, Gomes MB, Watada H, Vora J, Malik AO, Kosiborod M, Arnold SV. Factors associated with weight loss in people with overweight or obesity living with type 2 diabetes mellitus: Insights from the global DISCOVER study. Diabetes Obes Metab. 2022;24:1734-1740.
60. Gomes MB, Tang F, Chen H, Cid-Ruzafa J, Fenici P, Khunti K, Rathmann W, Shestakova MV, Surmont F, Watada H, Medina J, Shimomura I, Saraiva GL, Cooper A, **Nicolucci A**. Socioeconomic Factors Associated With Glycemic Measurement and Poor HbA1c Control in People With Type 2 Diabetes: The Global DISCOVER Study. Front Endocrinol (Lausanne). 2022;13:831676.
61. Pintaudi B, Scatena A, Piscitelli G, Frison V, Corrao S, Manicardi V, Graziano G, Chiara Rossi M, Gallo M, Mannino D, **Nicolucci A**, Di Bartolo P. Clinical profiles and quality of care of adults with type 1 diabetes according to their cardiovascular Risk: A Multicenter, Observational, retrospective study. Diabetes Res Clin Pract. 2021 Nov 8;182:109131.
62. **Nicolucci A**, Chen H, Cid-Ruzafa J, Cooper A, Fenici P, Gomes MB, Hammar N, Khunti K, Kosiborod M, Leigh P, Medin J, Rathmann W, Shestakova MV, Shimomura I, Siddiqui A, Tang F, Watada H, Ji L; DISCOVER investigators. Health-related quality of life in patients with type 2 diabetes initiating a second-line glucose-lowering therapy: The DISCOVER study. Diabetes Res Clin Pract. 2021;180:108974.
63. **Nicolucci A**, Rossi MC, Petrelli M. Effectiveness of Ascophyllum nodosum and Fucus vesiculosus on Metabolic Syndrome Components: A Real-World, Observational Study. J Diabetes Res. 2021 Sep 30;2021:3389316.
64. Khunti K, Heerspink HJL, Lam CSP, **Nicolucci A**, Ramirez L, Surmont F, Fenici P, Kosiborod M. Design and rationale of DISCOVER global registry in type 2 diabetes: Real-world insights of

treatment patterns and its relationship with cardiovascular, renal, and metabolic multimorbidities. J Diabetes Complications. 2021 Dec;35(12):108077.

65. Cucinotta D, **Nicolucci A**, Giandalia A, Lucisano G, Manicardi V, Mannino D, Rossi MC, Russo GT, Di Bartolo P. Temporal trends in intensification of glucose-lowering therapy for type 2 diabetes in Italy: Data from the AMD Annals initiative and their impact on clinical inertia. Diabetes Res Clin Pract. 2021 Nov;181:109096.
66. Napoli A, Sciacca L, Pintauro B, Tumminia A, Dalfrà MG, Festa C, Formoso G, Fresa R, Graziano G, Lencioni C, **Nicolucci A**, Rossi MC, Succurro E, Sculli MA, Scavini M, Vitacolonna E, Bonomo M, Torlone E; STRONG Study Collaborators and the AMD-SID Diabetes and Pregnancy Study Group. Screening of postpartum diabetes in women with gestational diabetes: high-risk subgroups and areas for improvements-the STRONG observational study. Acta Diabetol. 2021;58(9):1187-1197.
67. Ji L, Bonnet F, Chen H, Cooper A, Hammar N, Leigh P, Luporini Saraiva G, Ramirez L, Medina J, **Nicolucci A**, Rathmann W, Shestakova MV, Surmont F, Tang F, Watada H; DISCOVER Investigators. Early versus late intensification of glucose-lowering therapy in patients with type 2 diabetes: Results from the DISCOVER study. Diabetes Res Clin Pract. 2021 Aug;178:108947.
68. Skovlund SE, **Nicolucci A**, Balk-Møller N, Berthelsen DB, Glümer C, Perrild H, Kjær P, Nørgaard LM, Troelsen LH, Pietraszek A, Hessler D, Kaplan S, Ejekær N. Perceived Benefits, Barriers, and Facilitators of a Digital Patient-Reported Outcomes Tool for Routine Diabetes Care: Protocol for a National, Multicenter, Mixed Methods Implementation Study. JMIR Res Protoc. 2021;10(9):e28391.
69. Bongaerts B, Arnold SV, Charbonnel BH, Chen H, Cooper A, Fenici P, Gomes M, Ji L, Khunti K, Kosiborod M, Medina J, **Nicolucci A**, Shestakova M, Shimomura I, Tang F, Watada H, Rathmann W. Inappropriate intensification of glucose-lowering treatment in older patients with type 2 diabetes: the global DISCOVER study. BMJ Open Diabetes Res Care. 2021;9(1):e001585.
70. Khunti K, Charbonnel B, Chen H, Cherney DZ, Cooper A, Fenici P, Gomes MB, Hammar N, Heerspink HJL, Ji L, Medina J, **Nicolucci A**, Ramirez L, Rathmann W, Shestakova MV, Shimomura I, Tang F, Watada H, Kosiborod M; DISCOVER Investigators. Prevalence and progression of chronic kidney disease among patients with type 2 diabetes: Insights from the DISCOVER study. Diabetes Obes Metab. 2021;23(8):1956-1960.
71. Ceriello A, Lucisano G, Prattichizzo F, Eliasson B, Franzén S, Svensson AM, **Nicolucci A**. Variability in body weight and the risk of cardiovascular complications in type 2 diabetes: results from the Swedish National Diabetes Register. Cardiovasc Diabetol. 2021;20(1):173
72. Ferrario L, Schettini F, Avogaro A, Bellia C, Bertuzzi F, Bonetti G, Ceriello A, Ciaccio M, Corsi Romanelli M, Dozio E, Falqui L, Girelli A, **Nicolucci A**, Perseghin G, Plebani M, Valentini U, Zaninotto M, Castaldi S, Foglia E. Glycated Albumin for Glycemic Control in T2DM Population: A Multi-Dimensional Evaluation. Clinicoecon Outcomes Res. 2021;13:453-464.
73. Quaglietta A, **Nicolucci A**, Posata R, Frattari A, Parruti G, Accorsi P. Impact of Covid-19 epidemic on the activities of a blood centre, transfusion support for infected patients and clinical outcomes. Transfus Med. 2021;31(3):160-166.
74. Capristo E, Maione A, Lucisano G, Russo MF, Mingrone G, **Nicolucci A**. Effects of weight loss medications on mortality and cardiovascular events: A systematic review of randomized controlled trials in adults with overweight and obesity. Nutr Metab Cardiovasc Dis. 2021;31(9):2587-2595.
75. Prattichizzo F, de Candia P, **Nicolucci A**, Ceriello A. Elevated HbA1c levels in pre-Covid-19 infection increases the risk of mortality: A systematic review and meta-analysis. Diabetes Metab Res Rev. 2021:e3476.
76. D'Erasmo L, Minicocci I, Di Costanzo A, Pigna G, Commodari D, Ceci F, Montali A, Brancato F, Stanca I, **Nicolucci A**, Ascione A, Galea N, Carbone I, Francione M, Maranghi M, Arca M. Clinical Implications of Monogenic Versus Polygenic Hypercholesterolemia: Long-Term Response to Treatment, Coronary Atherosclerosis Burden, and Cardiovascular Events. J Am Heart Assoc. 2021;10(9):e018932.

77. Luzi L, Carruba M, Crialesi R, Da Empoli S, Dagani R, Lovati E, **Nicolucci A**, Berra CC, Cipponeri E, Vaccaro K, Lenzi A. Telemedicine and urban diabetes during COVID-19 pandemic in Milano, Italy during lock-down: epidemiological and sociodemographic picture. *Acta Diabetol.* 2021 Mar 19;1–9.
78. Penno G, Solini A, Orsi E, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Zerbini G, Lamacchia O, **Nicolucci A**, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Insulin resistance, diabetic kidney disease, and all-cause mortality in individuals with type 2 diabetes: a prospective cohort study. *BMC Med.* 2021;19(1):66.
79. Pintaudi B, Scatena A, Piscitelli G, Frison V, Corrao S, Manicardi V, Graziano G, Rossi MC, Gallo M, Mannino D, Di Bartolo P, **Nicolucci A**. Clinical profiles and quality of care of subjects with type 2 diabetes according to their cardiovascular risk: an observational, retrospective study. *Cardiovasc Diabetol.* 2021;20(1):59.
80. Baviera M, Genovese S, Lepore V, Colacioppo P, Robusto F, Tettamanti M, D'Ettorre A, Avanzini F, Fortino I, **Nicolucci A**, Roncaglioni MC, Giorgino F. Lower risk of death and cardiovascular events in patients with diabetes initiating glucagon-like peptide-1 receptor agonists or sodium-glucose cotransporter-2 inhibitors: A real-world study in two Italian cohorts. *Diabetes Obes Metab.* 2021;23(7):1484-1495.
81. Arnold SV, Khunti K, Bonnet F, Charbonnel B, Chen H, Cid-Ruzafa J, Cooper A, Fenici P, Gomes MB, Hammar N, Ji L, Luporini-Saraiva G, Medina J, **Nicolucci A**, Ramirez L, Shestakova MV, Shimomura I, Surmont F, Tang F, Vora J, Watada H, Kosiborod M; DISCOVER investigators. Type 2 diabetes and heart failure: insights from the global DISCOVER study. *ESC Heart Fail.* 2021;8(2):1711-1716.
82. Orsi E, Penno G, Solini A, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Morano S, Baroni MG, **Nicolucci A**, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Independent association of atherogenic dyslipidaemia with all-cause mortality in individuals with type 2 diabetes and modifying effect of gender: a prospective cohort study. *Cardiovasc Diabetol.* 2021;20(1):28.
83. Palmer SC, Tendal B, Mustafa RA, Vandvik PO, Li S, Hao Q, Tunnicliffe D, Ruospo M, Natale P, Saglimbene V, **Nicolucci A**, et al. Sodium-glucose cotransporter protein-2 (SGLT-2) inhibitors and glucagon-like peptide-1 (GLP-1) receptor agonists for type 2 diabetes: systematic review and network meta-analysis of randomised controlled trials. *BMJ.* 2021;372:m4573.
84. Sbraccia P, Busetto L, Santini F, Mancuso M, Nicoziani P, **Nicolucci A**. Misperceptions and barriers to obesity management: Italian data from the ACTION-IO study. *Eat Weight Disord.* 2021;26(3):817-828
85. Laviola L, Porcellati F, Bruttomesso D, Larosa M, Rossi MC, **Nicolucci A**; RESTORE-1 Study Group. Comparative Effectiveness of Switching From First-Generation Basal Insulin to Glargine 300 U/ml or Degludec 100 U/ml in Type 1 Diabetes: The RESTORE-1 Study. *Diabetes Ther.* 2021 Feb;12(2):509-525.
86. Fadini GP, Giordano C, Salvi L, **Nicolucci A**; REFLECT Italian Study Group. Reduced Rates of Hypoglycemia in Type 1 or Type 2 Diabetes After Switching to Insulin Degludec: Results from the Italian Cohort of the ReFLeCT Study. *Diabetes Ther.* 2020 Dec;11(12):2909-2920.
87. Ceriello A, Ofstad AP, Zwiener I, Kaspers S, George J, **Nicolucci A**. Empagliflozin reduced long-term HbA1c variability and cardiovascular death: insights from the EMPA-REG OUTCOME trial. *Cardiovasc Diabetol.* 2020 Oct 13;19(1):176.
88. Penno G, Orsi E, Solini A, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Gruden G, Laviola L, **Nicolucci A**, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Renal hyperfiltration is independently associated with increased all-cause mortality in individuals with type 2 diabetes: a prospective cohort study. *BMJ Open Diabetes Res Care.* 2020 Jul;8(1):e001481.
89. Ragonese M, Larosa M, Angotti S, Annese S, Cruciani L, Dainelli M, Lucisano G, Prosperini G, Sacco M, Salomone E, Saponara C, Semprini R, Rossi MC, **Nicolucci A**. Clinical Outcomes of

90. Fritzen K, Basinska K, Stautner C, Braun KF, Rubio-Almanza M, **Nicolucci A**, Kennon B, Vergès B, Hosny Y, Schnell O. Budget Impact of Improved Diabetes Management by Utilization of Glucose Meters With a Color-Range Indicator-Comparison of Five European Healthcare Systems. *J Diabetes Sci Technol.* 2020 Mar;14(2):262-270.
91. Khunti K, Gomes MB, Kosiborod M, **Nicolucci A**, Pocock S, Rathmann W, Shestakova MV, Shimomura I, Watada H, Chen H, Cid-Ruzafa J, Fenici P, Hammar N, Tang F, Ji L; DISCOVER Scientific Committee and all DISCOVER investigators. Metformin discontinuation in patients beginning second-line glucose-lowering therapy: results from the global observational DISCOVER study programme. *BMJ Open.* 2020 Aug 30;10(8):e034613.
92. Prattichizzo F, de Candia P, De Nigris V, **Nicolucci A**, Ceriello A. Legacy effect of intensive glucose control on major adverse cardiovascular outcome: Systematic review and meta-analyses of trials according to different scenarios. *Metabolism.* 2020 Sep;110:154308.
93. Volpes R, Burra P, Germani G, Manini MA, Caccamo L, Strignano P, Rizza G, Tamè M, Pinna AD, Calise F, Migliaccio C, Carrai P, De Simone P, Valentini MF, Lupo LG, Cordone G, Picciotto FP, **Nicolucci A**. Switch from intravenous or intramuscular to subcutaneous hepatitis B immunoglobulin: effect on quality of life after liver transplantation. *Health Qual Life Outcomes.* 2020;18:99.
94. Orsi E, Bonora E, Solini A, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Zerbini G, Morano S, **Nicolucci A**, Penno G, Pugliese G. Association between On-Treatment Haemoglobin A(1c) and All-Cause Mortality in Individuals with Type 2 Diabetes: Importance of Personalized Goals and Type of Anti-Hyperglycaemic Treatment. *J Clin Med.* 2020;9(1). pii: E246
95. Khunti K, Chen H, Cid-Ruzafa J, Fenici P, Gomes MB, Hammar N, Ji L, Kosiborod M, Pocock S, Shestakova MV, Shimomura I, Tang F, Watada H, **Nicolucci A**; DISCOVER investigators. Glycaemic control in patients with type 2 diabetes initiating second-line therapy: Results from the global DISCOVER study programme. *Diabetes Obes Metab.* 2020;22:66-78.
96. **Nicolucci A**, Ceriello A, Di Bartolo P, Corcos A, Orsini Federici M. Rapid-Acting Insulin Analogues Versus Regular Human Insulin: A Meta-Analysis of Effects on Glycemic Control in Patients with Diabetes. *Diabetes Ther.* 2020;11:573-584.
97. Heerspink HJL, Karasik A, Thuresson M, Melzer-Cohen C, Chodick G, Khunti K, Wilding JPH, Garcia Rodriguez LA, Cea-Soriano L, Kohsaka S, **Nicolucci A**, Lucisano G, Lin FJ, Wang CY, Wittbrodt E, Fenici P, Kosiborod M. Kidney outcomes associated with use of SGLT2 inhibitors in real-world clinical practice (CVD-REAL 3): a multinational observational cohort study. *Lancet Diabetes Endocrinol.* 2020;8:27-35.
98. Comaschi M, Di Lenarda A, Medea G, Aglialoro A, Cucinotta D, Gulizia M, Vespasiani G, Zuin G, **Nicolucci A**, Spandonaro F, Maggioni AP. INtegration of care for reaching targetS In Diabetic patiEnts: Design of the INSIDE Study. *Diabetes Ther.* 2020;11:359-367.
99. Ferrito L, Predieri B, Pjetraj D, Alessandrelli MC, Pagnini M, Iannilli A, Marino M, Tombolini S, Pintauro B, Lucisano G, Zani F, Iughetti L, **Nicolucci A**, Cherubini V. Weekend-Based Parent-Group Intervention to Reduce Stress in Parents of Children and Adolescents with Type 1 Diabetes: A Pilot Study. *J Diabetes Res.* 2019;2019:7935945.
100. Nusca A, Tuccinardi D, Proscia C, Melfi R, Manfrini S, **Nicolucci A**, Ceriello A, Pozzilli P, Ussia GP, Grigioni F, Di Sciascio G. Incremental role of glycaemic variability over HbA1c in identifying type 2 diabetic patients with high platelet reactivity undergoing percutaneous coronary intervention. *Cardiovasc Diabetol.* 2019;18(1):147.
101. Leonardi L, Viganò M, **Nicolucci A**. Penetration force and cannula sliding profiles of different pen needles: the PICASSO study. *Med Devices (Auckl).* 2019;12:311-317.
102. Balducci S, Conti F, Sacchetti M, Russo CR, Argento G, Haxhi J, Orlando G, Rapisarda G, D'Errico V, Cardelli P, Pugliese L, Laghi A, Vitale M, Bollanti L, Zanuso S, **Nicolucci A**, Pugliese G;

SWEET BONE Investigators. Study to Weigh the Effect of Exercise Training on BONE quality and strength (SWEET BONE) in type 2 diabetes: study protocol for a randomised clinical trial. *BMJ Open*. 2019;9(11):e027429.

103. Ceriello A, **Nicolucci A**. Intensive Glucose Control and Type 2 Diabetes – 15 Years On. *N Engl J Med*. 2019;381:1292-1293.
104. **Nicolucci A**, Candido R, Cucinotta D, Graziano G, Rocca A, Rossi MC, Tuccinardi F, Manicardi V. Generalizability of Cardiovascular Safety Trials on SGLT2 Inhibitors to the Real World: Implications for Clinical Practice. *Adv Ther*. 2019;36:2895-2909.
105. Fritzen K, Basinska K, Stautner C, Braun KF, Rubio-Almanza M, **Nicolucci A**, Kennon B, Vergès B, Hosny Y, Schnell O. Budget Impact of Improved Diabetes Management by Utilization of Glucose Meters With a Color-Range Indicator-Comparison of Five European Healthcare Systems. *J Diabetes Sci Technol*. 2019 Aug 6:1932296819864665
106. **Nicolucci A**, Charbonnel B, Gomes MB, Khunti K, Kosiborod M, Shestakova MV, Shimomura I, Watada H, Chen H, Cid-Razufa J, Fenici P, Hammar N, Surmont F, Tang F, Pocock S. Treatment patterns and associated factors in 14 668 people with type 2 diabetes initiating a second-line therapy: results from the global DISCOVER study programme. *Diabetes Obes Metab*. 2019 Jul 12. [Epub ahead of print]
107. Frattari A, Savini V, Polilli E, Di Marco G, Lucisano G, Corridoni S, Spina T, Costantini A, **Nicolucci A**, Fazii P, Viale P, Parruti G. Control of Gram-negative multi-drug resistant microorganisms in an Italian ICU: Rapid decline as a result of a multifaceted intervention, including conservative use of antibiotics. *Int J Infect Dis*. 2019;84:153-162.
108. Cherubini V, Rabbone I, Lombardo F, Mossetto G, Orsini Federici M, **Nicolucci A**. Incidence of severe hypoglycemia and possible associated factors in pediatric patients with type 1 diabetes in the real-life, post-Diabetes Control and Complications Trial setting: A systematic review. *Pediatr Diabetes*. 2019 Jun 8. [Epub ahead of print]
109. Rossi MC, **Nicolucci A**, Ozzello A, Gentile S, Aglialoro A, Chiambretti A, Baccetti F, Gentile FM, Romeo F, Lucisano G, Giorda CB; HYPOS-1 Study Group of AMD. Impact of severe and symptomatic hypoglycemia on quality of life and fear of hypoglycemia in type 1 and type 2 diabetes. Results of the Hypos-1 observational study. *Nutr Metab Cardiovasc Dis*. 2019;29:736-743.
110. **Nicolucci A**, Rossi MC, Vaccaro K, Cialesi R, Rossetti S, Da Empoli S, Corsaro L, Morviducci L, Baroni MG, Frontoni S, Dotta F. Urban diabetes: the case of the metropolitan area of Rome. *Acta Biomed*. 2019;90:209-214.
111. Vaccaro O, Lucisano G, Masulli M, Bonora E, Del Prato S, Rivellese AA, Giorda CB, Mocarelli P, Squatrito S, Maggioni AP, Riccardi G, **Nicolucci A**; TOSCA.IT Investigators. Cardiovascular Effects of Pioglitazone or Sulfonyleureas According to Pretreatment Risk: Moving Toward Personalized Care. *J Clin Endocrinol Metab*. 2019;104:3296-3302.
112. Solini A, Penno G, Orsi E, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Lamacchia O, Baroni MG, **Nicolucci A**, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Is resistant hypertension an independent predictor of all-cause mortality in individuals with type 2 diabetes? A prospective cohort study. *BMC Med*. 2019;17(1):83.
113. Fritzen K, Basinska K, Rubio-Almanza M, **Nicolucci A**, Kennon B, Vergès B, Zakrzewska K, Schnell O. Pan-European Economic Analysis to Identify Cost Savings for the Health Care Systems as a Result of Integrating Glucose Monitoring Based Telemedical Approaches Into Diabetes Management. *J Diabetes Sci Technol*. 2019 Mar 27:1932296819835172. [Epub ahead of print]
114. Gomes MB, Rathmann W, Charbonnel B, Khunti K, Kosiborod M, **Nicolucci A**, Pocock SJ, Shestakova MV, Shimomura I, Tang F, Watada H, Chen H, Cid-Ruzafa J, Fenici P, Hammar N, Surmont F, Ji L; DISCOVER investigators. Treatment of type 2 diabetes mellitus worldwide: Baseline patient characteristics in the global DISCOVER study. *Diabetes Res Clin Pract*. 2019;151:20-32.

115. Balducci S, D'Errico V, Haxhi J, Sacchetti M, Orlando G, Cardelli P, Vitale M, Bollanti L, Conti F, Zanuso S, Lucisano G, **Nicolucci A**, Pugliese G; Italian Diabetes and Exercise Study 2 (IDES\_2) Investigators. Effect of a Behavioral Intervention Strategy on Sustained Change in Physical Activity and Sedentary Behavior in Patients With Type 2 Diabetes: The IDES\_2 Randomized Clinical Trial. *JAMA*. 2019;321:880-890.
116. Ceriello A, Rossi MC, De Cosmo S, Lucisano G, Pontremoli R, Fioretto P, Giorda C, Pacilli A, Viazzi F, Russo G, **Nicolucci A**; AMD-Annals Study Group. Overall Quality of Care Predicts the Variability of Key Risk Factors for Complications in Type 2 Diabetes: An Observational, Longitudinal Retrospective Study. *Diabetes Care*. 2019;42:514-519.
117. Kosiborod M, Gomes MB, **Nicolucci A**, Pocock S, Rathmann W, Shestakova MV, Watada H, Shimomura I, Chen H, Cid-Ruzafa J, Fenici P, Hammar N, Surmont F, Tang F, Khunti K; DISCOVER investigators. Vascular complications in patients with type 2 diabetes: prevalence and associated factors in 38 countries (the DISCOVER study program). *Cardiovasc Diabetol*. 2018;17:150.
118. **Nicolucci A**, Prosperini G, Buzzetti R, De Cosmo S, Fanelli CG, Napoli R, Giorgino F; AGERE Study Group. A multistep approach for the stratification of the risk of severe hypoglycemia in patients with type 2 diabetes. *Minerva Endocrinol*. 2018;43:501-510.
119. Saglimbene V, Palmer SC, Ruospo M, Natale P, Maione A, **Nicolucci A**, Vecchio M, Tognoni G, Craig JC, Pellegrini F, Lucisano G, Hegbrant J, Ariano R, Lamacchia O, Sasso A, Morano S, Filardi T, De Cosmo S, Pugliese G, Procaccini DA, Gesualdo L, Palasciano G, Johnson DW, Tonelli M, Strippoli GFM; Long-Term Impact of RAS Inhibition on Cardiorenal Outcomes (LIRICO) Investigators. The Long-Term Impact of Renin-Angiotensin System (RAS) Inhibition on Cardiorenal Outcomes (LIRICO): A Randomized, Controlled Trial. *J Am Soc Nephrol*. 2018;29:2890-2899.
120. Pintaudi B, Fresa R, Dalfrà M, Dodesini AR, Vitacolonna E, Tumminia A, Sciacca L, Lencioni C, Marcone T, Lucisano G, **Nicolucci A**, Bonomo M, Napoli A; STRONG Study Collaborators. The risk stratification of adverse neonatal outcomes in women with gestational diabetes (STRONG) study. *Acta Diabetol*. 2018;55:1261-1273.
121. DiBonaventura M, **Nicolucci A**, Meincke H, Le Lay A, Fournier J. Obesity in Germany and Italy: prevalence, comorbidities, and associations with patient outcomes. *Clinicoecon Outcomes Res*. 2018;10:457-475.
122. Rossi MC, Lucisano G, Ceriello A, Mazzucchelli C, Musacchio N, Ozzello A, Nicolucci A, Di Bartolo P; AMD Annals-SMBG Study Group. Real-world use of self-monitoring of blood glucose in people with type 2 diabetes: an urgent need for improvement. *Acta Diabetol*. 2018;55(10):1059-1066.
123. Penno G, Solini A, Orsi E, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Lamacchia O, Scardapane M, **Nicolucci A**, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Non-albuminuric renal impairment is a strong predictor of mortality in individuals with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian multicentre study. *Diabetologia*. 2018 [Epub ahead of print]
124. Delvecchio M, Salzano G, Bonura C, Cauvin V, Cherubini V, d'Annunzio G, Franzese A, Giglio S, Grasso V, Graziani V, Iafusco D, Iughetti L, Lera R, Maffei C, Maltoni G, Mantovani V, Menzaghi C, Patera PI, Rabbone I, Reindstadler P, Scelfo S, Tinto N, Toni S, Tumini S, Lombardo F, **Nicolucci A**, Barbetti F; Diabetes Study Group of the Italian Society of Pediatric Endocrinology and Diabetes (ISPED). Can HbA1c combined with fasting plasma glucose help to assess priority for GCK-MODY vs HNF1A-MODY genetic testing? *Acta Diabetol*. 2018 Jun 13 [Epub ahead of print]
125. De Berardis G, Scardapane M, Lucisano G, Abbruzzese S, Bossi AC, Cipponeri E, D'Angelo P, Fontana L, Lancione R, Marelli G, Scianguola L, **Nicolucci A**. Efficacy, safety and acceptability of the new pen needle 34G x 3.5 mm: a crossover randomized non-inferiority trial; AGO 02 study. *Curr Med Res Opin*. 2018; 34:1699-1704.
126. Rabbone I, Minuto N, Toni S, Lombardo F, Iafusco D, Marigliano M, Schiaffini R, Maltoni G, Frongia AP, Scardapane M, **Nicolucci A**, Cherubini V, Bonfanti R, Scaramuzza AE; Diabetes

Study Group of the Italian Society of Pediatric Endocrinology and Diabetology (ISPED). Insulin pump breakdown and infusion set failure in Italian children with type 1 diabetes: 1-year prospective observational study with suggestions to minimize clinical impact. *Diabetes Obes Metab*. 2018 Jun 12. [Epub ahead of print]

127. **Nicolucci A**, Rossi MC, D'Ostilio D, Delbaere A, de Portu S, Roze S. Cost-effectiveness of sensor-augmented pump therapy in two different patient populations with type 1 diabetes in Italy. *Nutr Metab Cardiovasc Dis*. 2018;28:707-715.
128. Russo GT, Giorda CB, Cercone S, De Cosmo S, **Nicolucci A**, Cucinotta D; BetaDecline Study Group. Beta cell stress in a 4-year follow-up of patients with type 2 diabetes: A longitudinal analysis of the BetaDecline Study. *Diabetes Metab Res Rev*. 2018 Apr 18:e3016.
129. Orsi E, Solini A, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Gruden G, Morano S, **Nicolucci A**, Penno G, Pugliese G; Renal Insufficiency and Cardiovascular Events (RIACE) Study Group. Haemoglobin A1c variability is a strong, independent predictor of all-cause mortality in patients with type 2 diabetes. *Diabetes Obes Metab*. 2018;20:1885-1893.
130. Penno G, Solini A, Bonora E, Orsi E, Fondelli C, Zerbini G, Trevisan R, Vedovato M, Cavalot F, Laviola L, **Nicolucci A**, Pugliese G; Renal Insufficiency and Cardiovascular Events (RIACE) Study Group. Defining the contribution of chronic kidney disease to all-cause mortality in patients with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. *Acta Diabetol*. 2018;55:603-612.
131. Cosmi F, Shen L, Magnoli M, Abraham WT, Anand IS, Cleland JG, Cohn JN, Cosmi D, De Berardis G, Dickstein K, Franzosi MG, Gullestad L, Jhund PS, Kjekshus J, Køber L, Lepore V, Lucisano G, Maggioni AP, Masson S, McMurray JJV, **Nicolucci A**, Petrarolo V, Robusto F, Staszewsky L, Tavazzi L, Teli R, Tognoni G, Wikstrand J, Latini R. Treatment with insulin is associated with worse outcome in patients with chronic heart failure and diabetes. *Eur J Heart Fail*. 2018;20:888-895.
132. D'Erasmo L, Minicocci I, **Nicolucci A**, Pintus P, Roeters Van Lennep JE, Masana L, Mata P, Sánchez-Hernández RM, Prieto-Matos P, Real JT, Ascaso JF, Lafuente EE, Pocovi M, Fuentes FJ, Muntoni S, Bertolini S, Sirtori C, Calabresi L, Pavanello C, Averna M, Cefalu AB, Noto D, Pacifico AA, Pes GM, Harada-Shiba M, Manzato E, Zambon S, Zambon A, Vogt A, Scardapane M, Sjouke B, Fellin R, Arca M. Autosomal Recessive Hypercholesterolemia: Long-Term Cardiovascular Outcomes. *J Am Coll Cardiol*. 2018;71:279-288. Erratum in: *J Am Coll Cardiol*. 2018;71:1058.
133. Lapolla A, Berra C, Boemi M, Bossi AC, Candido R, Di Cianni G, Frontoni S, Genovese S, Ponzani P, Provenzano V, Russo GT, Sciangula L, Simioni N, Bette C, **Nicolucci A**; NN2211-4118 Study Group. Long-Term Effectiveness of Liraglutide for Treatment of Type 2 Diabetes in a Real-Life Setting: A 24-Month, Multicenter, Non-interventional, Retrospective Study. *Adv Ther*. 2018;35:243-253.
134. Scavini M, Rossi MC, Scardapane M, **Nicolucci A**, Manicardi V, Russo G, Di Bartolo P, Giorda CB, Musacchio N, Ceriello A, Genovese S, Molinari C, Dozio N; AMD-Annals Study Group. Portrait of women with type 1 or type 2 diabetes of childbearing age attending diabetes clinics in Italy: the AMD-Annals initiative. *Acta Diabetol*. 2018;55:193-199.
135. Lamartina L, Grani G, Arvat E, Nervo A, Zatelli MC, Rossi R, Puxeddu E, Morelli S, Torlontano M, Massa M, Bellantone R, Pontecorvi A, Montesano T, Pagano L, Daniele L, Fugazzola L, Ceresini G, Bruno R, Rossetto R, Tumino S, Centanni M, Meringolo D, Castagna MG, Salvatore D, **Nicolucci A**, Lucisano G, Filetti S, Durante C. 8th edition of the AJCC/TNM staging system of thyroid cancer: what to expect (ITCO#2). *Endocr Relat Cancer*. 2018;25:L7-L11.
136. Musacchio N, Ciullo I, Scardapane M, Giancaterini A, Pessina L, Maino S, Gaiofatto R, **Nicolucci A**, Rossi MC; Self-Care Study Group. Efficacy of self-monitoring blood glucose as a key component of a chronic care model versus usual care in type 2 diabetes patients treated with oral agents: results of a randomized trial. *Acta Diabetol*. 2018;55:295-299.
137. Giorda CB, Forlani G, Manti R, Mazzotti A, De Cosmo S, Rossi MC, **Nicolucci A**, Di Bartolo P, Ceriello A, Guida P, Tartaglino B, Russo G; AMD-Annals Study Group. Trend over time in hepatic fibrosis score in a cohort of type 2 diabetes patients. *Diabetes Res Clin Pract*. 2018;135:65-72.

138. Conti F, Balducci S, Pugliese L, D'Errico V, Vitale M, Alessi E, Salerno G, Iacobini C, Menini S, Bollanti L, **Nicolucci A**, Pugliese G. Correlates of Calcaneal Quantitative Ultrasound Parameters in Patients with Diabetes: The Study on the Assessment of Determinants of Muscle and Bone Strength Abnormalities in Diabetes. *J Diabetes Res*. 2017;2017:4749619.
139. Lamartina L, Durante C, Lucisano G, Grani G, Bellantone R, Lombardi CP, Pontecorvi A, Arvat E, Felicetti F, Zatelli MC, Rossi R, Puxeddu E, Morelli S, Torlontano M, Crocetti U, Montesano T, Giubbini R, Orlandi F, Aimaretti G, Monzani F, Attard M, Francese C, Antonelli A, Limone P, Rossetto R, Fugazzola L, Meringolo D, Bruno R, Tumino S, Ceresini G, Centanni M, Monti S, Salvatore D, Spiazzi G, Mian C, Persani L, Barbaro D, **Nicolucci A**, Filetti S. Are Evidence-Based Guidelines Reflected in Clinical Practice? An Analysis of Prospectively Collected Data of the Italian Thyroid Cancer Observatory. *Thyroid*. 2017;27:1490-1497.
140. Vaccaro O, Masulli M, **Nicolucci A**, et al; Thiazolidinediones Or Sulfonylureas Cardiovascular Accidents Intervention Trial (TOSCA.IT) study group; Italian Diabetes Society. Effects on the incidence of cardiovascular events of the addition of pioglitazone versus sulfonylureas in patients with type 2 diabetes inadequately controlled with metformin (TOSCA.IT): a randomised, multicentre trial. *Lancet Diabetes Endocrinol*. 2017;5:887-897. Erratum in: *Lancet Diabetes Endocrinol*. 2017;5(11):e7.
141. Balducci S, D'Errico V, Haxhi J, Sacchetti M, Orlando G, Cardelli P, Vitale M, Bollanti L, Conti F, Zanuso S, **Nicolucci A**, Pugliese G; Italian Diabetes and Exercise Study 2 (IDES\_2) Investigators. Effect of a Behavioral Intervention Strategy for Adoption and Maintenance of a Physically Active Lifestyle: The Italian Diabetes and Exercise Study 2 (IDES\_2): A Randomized Controlled Trial. *Diabetes Care*. 2017;40:1444-1452.
142. Khunti K, Godec TR, Medina J, Garcia-Alvarez L, Hiller J, Gomes MB, Cid-Ruzafa J, Charbonnel B, Fenici P, Hammar N, Hashigami K, Kosiborod M, **Nicolucci A**, Shestakova MV, Ji L, Pocock S. Patterns of glycaemic control in patients with type 2 diabetes mellitus initiating second-line therapy after metformin monotherapy: Retrospective data for 10 256 individuals from the United Kingdom and Germany. *Diabetes Obes Metab*. 2018;20:389-399.
143. Grani G, Bruno R, Lucisano G, Costante G, Meringolo D, Puxeddu E, Torlontano M, Tumino S, Attard M, Lamartina L, **Nicolucci A**, Cooper DS, Filetti S, Durante C. Temporal Changes in Thyroid Nodule Volume: Lack of Effect on Paranodular Thyroid Tissue Volume. *Thyroid*. 2017;27:1378-1384.
144. Simioni N, Filippi A, Scardapane M, **Nicolucci A**, Rossi MC, Frison V. Efficacy and Safety of Insulin Degludec for Hyperglycemia Management in Noncritical Hospitalized Patients with Diabetes: An Observational Study. *Diabetes Ther*. 2017;8:941-946.
145. Ji L, Bonnet F, Charbonnel B, Gomes MB, Kosiborod M, Khunti K, **Nicolucci A**, Pocock S, Rathmann W, Shestakova MV, Shimomura I, Watada H, Fenici P, Hammar N, Hashigami K, Macaraeg G, Surmont F, Medina J. Towards an improved global understanding of treatment and outcomes in people with type 2 diabetes: Rationale and methods of the DISCOVER observational study program. *J Diabetes Complications*. 2017;31:1188-1196.
146. Ceriello A, De Cosmo S, Rossi MC, Lucisano G, Genovese S, Pontremoli R, Fioretto P, Giorda C, Pacilli A, Viazzi F, Russo G, **Nicolucci A**; AMD-Annals Study Group. Variability in HbA1c, blood pressure, lipid parameters and serum uric acid, and risk of development of chronic kidney disease in type 2 diabetes. *Diabetes Obes Metab*. 2017;19:1570-1578.
147. Wu Y, Yao X, Vespasiani G, **Nicolucci A**, Dong Y, Kwong J, Li L, Sun X, Tian H, Li S. Mobile App-Based Interventions to Support Diabetes Self-Management: A Systematic Review of Randomized Controlled Trials to Identify Functions Associated with Glycemic Efficacy. *JMIR Mhealth Uhealth*. 2017;5(3):e35.
148. Balducci S, D'Errico V, Haxhi J, Sacchetti M, Orlando G, Cardelli P, Di Biase N, Bollanti L, Conti F, Zanuso S, **Nicolucci A**, Pugliese G; Italian Diabetes and Exercise Study 2 (IDES\_2) Investigators. Level and correlates of physical activity and sedentary behavior in patients with type 2 diabetes: A cross-sectional analysis of the Italian Diabetes and Exercise Study\_2. *PLoS One*. 2017;12:e0173337.

149. Cosmi F, Laini R, **Nicolucci A**. Semaglutide and Cardiovascular Outcomes in Patients with Type 2 Diabetes. *N Engl J Med*. 2017;376:890.
150. Saglimbene V, Palmer SC, Craig JC, Ruospo M, **Nicolucci A**, Tonelli M, Johnson D, Lucisano G, Williams G, Valentini M, D'Alonzo D, Pellegrini F, Strippoli P, Salomone M, Santoro A, Maffei S, Hegbrant J, Tognoni G, Strippoli GF; CE-DOSE Study Investigators. Low versus high dose erythropoiesis-stimulating agents in hemodialysis patients with anemia: A randomized clinical trial. *PLoS One*. 2017;12:e0172735.
151. Quaglietta A, Di Saverio M, Lucisano G, Accorsi P, **Nicolucci A**. Development of the Platelet Efficacy Score (PEscore) to predict the efficacy of platelet transfusion in oncohematologic patients. *Transfusion*. 2017;57:905-912.
152. Rossi MC, Lucisano G, Pintauro B, Bulotta A, Gentile S, Scardapane M, Skovlund SE, Vespasiani G, **Nicolucci A**; BENCH-D Study Group. The complex interplay between clinical and person-centered diabetes outcomes in the two genders. *Health Qual Life Outcomes*. 2017;15:41.
153. Di Bartolo P, **Nicolucci A**, Cherubini V, Iafusco D, Scardapane M, Rossi MC. Young patients with type 1 diabetes poorly controlled and poorly compliant with self-monitoring of blood glucose: can technology help? Results of the i-NewTrend randomized clinical trial. *Acta Diabetol*. 2017;54:393-402.
154. Franzago M, Fraticelli F, **Nicolucci A**, Celentano C, Liberati M, Stuppia L, Vitacolonna E. Molecular Analysis of a Genetic Variants Panel Related to Nutrients and Metabolism: Association with Susceptibility to Gestational Diabetes and Cardiometabolic Risk in Affected Women. *J Diabetes Res*. 2017;2017:4612623.
155. Giorda C, Forlani G, Manti R, Mazzella N, De Cosmo S, Rossi MC, **Nicolucci A**, Russo G, Di Bartolo P, Ceriello A, Guida P; AMD-Annals Study Group. Occurrence over time and regression of nonalcoholic fatty liver disease in type 2 diabetes. *Diabetes Metab Res Rev*. 2017;33(4).
156. Giorda CB, Rossi MC, Ozzello O, Gentile S, Aglialoro A, Chiambretti A, Baccetti F, Gentile FM, Romeo F, Lucisano G, **Nicolucci A**; HYPOS-1 Study Group of AMD. Healthcare resource use, direct and indirect costs of hypoglycemia in type 1 and type 2 diabetes, and nationwide projections. Results of the HYPOS-1 study. *Nutr Metab Cardiovasc Dis*. 2017;27:209-216.
157. Vitale M, Masulli M, Rivellese AA, Bonora E, Cappellini F, **Nicolucci A**, et al; TOSCA.IT Study Group. Dietary intake and major food sources of polyphenols in people with type 2 diabetes: The TOSCA.IT Study. *Eur J Nutr*. 2018;57:679-688.
158. Vitale M, Vaccaro O, Masulli M, Bonora E, Del Prato S, Giorda CB, **Nicolucci A**, et al; TOSCA.IT Study Group. Polyphenol intake and cardiovascular risk factors in a population with type 2 diabetes: The TOSCA.IT study. *Clin Nutr*. 2017;36:1686-1692.
159. Broglio F, Mannucci E, Napoli R, **Nicolucci A**, Purrello F, Nikonova E, Stager W, Trevisan R. Beneficial effect of lixisenatide after 76 weeks of treatment in patients with type 2 diabetes mellitus: A meta-analysis from the GetGoal programme. *Diabetes Obes Metab*. 2017;19:248-256.
160. Marzona I, Avanzini F, Lucisano G, Tettamanti M, Baviera M, **Nicolucci A**, Roncaglioni MC; Risk & Prevention Collaborative Group. Are all people with diabetes and cardiovascular risk factors or microvascular complications at very high risk? Findings from the Risk and Prevention Study. *Acta Diabetol*. 2017;54:123-131.
161. Balducci S, D'Errico V, Haxhi J, Sacchetti M, Orlando G, Cardelli P, Di Biase N, Bollanti L, Conti F, Zanuso S, **Nicolucci A**, Pugliese G; Italian Diabetes and Exercise Study 2 (IDES\_2) Investigators. Level and correlates of physical activity and sedentary behavior in patients with type 2 diabetes: A cross-sectional analysis of the Italian Diabetes and Exercise Study\_2. *PLoS One*. 2017;12(3):e0173337.
162. Marzona I, Avanzini F, Lucisano G, Tettamanti M, Baviera M, **Nicolucci A**, Roncaglioni MC; Risk & Prevention Collaborative Group. Are all people with diabetes and cardiovascular risk factors or microvascular complications at very high risk? Findings from the Risk and Prevention Study. *Acta Diabetol*. 2017;54:123-131.

163. Cosmi F, Latini R, **Nicolucci A**. Semaglutide and Cardiovascular Outcomes in Patients with Type 2 Diabetes. *N Engl J Med*. 2017;376(9):890.
164. Giorda CB, Rossi MC, Ozzello O, Gentile S, Agliandolo A, Chiambretti A, Baccetti F, Gentile FM, Romeo F, Lucisano G, **Nicolucci A**; HYPOS-1 Study Group of AMD. Healthcare resource use, direct and indirect costs of hypoglycemia in type 1 and type 2 diabetes, and nationwide projections. Results of the HYPOS-1 study. *Nutr Metab Cardiovasc Dis*. 2017;27:209-216.
165. Di Bartolo P, **Nicolucci A**, Cherubini V, Iafusco D, Scardapane M, Rossi MC. Young patients with type 1 diabetes poorly controlled and poorly compliant with self-monitoring of blood glucose: can technology help? Results of the i-NewTrend randomized clinical trial. *Acta Diabetol*. 2017 [Epub ahead of print].
166. De Cosmo S, Viazzi F, Pacilli A, Giorda C, Ceriello A, Gentile S, Russo G, Rossi MC, **Nicolucci A**, Guida P, Pontremoli R; and the AMD-Annals Study Group. Predictors of chronic kidney disease in type 2 diabetes: A longitudinal study from the AMD Annals initiative. *Medicine (Baltimore)*. 2016;95:e4007.
167. Manicardi V, Russo G, Napoli A, Torlone E, Li Volsi P, Giorda CB, Musacchio N, **Nicolucci A**, Suraci C, Lucisano G, Rossi MC; AMD Annals Study Group. Gender-Disparities in Adults with Type 1 Diabetes: More Than a Quality of Care Issue. A Cross-Sectional Observational Study from the AMD Annals Initiative. *PLoS One*. 2016;11(10):e0162960.
168. Nefs G, Pouwer F, Holt RI, Skovlund S, Hermanns N, **Nicolucci A**, Peyrot M. Correlates and outcomes of worries about hypoglycemia in family members of adults with diabetes: The second Diabetes Attitudes, Wishes and Needs (DAWN2) study. *J Psychosom Res*. 2016;89:69-77.
169. Palmer SC, Mavridis D, **Nicolucci A**, Johnson DW, Tonelli M, Craig JC, Maggo J, Gray V, De Berardis G, Ruospo M, Natale P, Saglimbene V, Badve SV, Cho Y, Nadeau-Fredette AC, Burke M, Faruque L, Lloyd A, Ahmad N, Liu Y, Tiv S, Wiebe N, Strippoli GF. Comparison of Clinical Outcomes and Adverse Events Associated With Glucose-Lowering Drugs in Patients With Type 2 Diabetes: A Meta-analysis. *JAMA*. 2016;316:313-24.
170. De Cosmo S, Viazzi F, Pacilli A, Giorda C, Ceriello A, Gentile S, Russo G, Rossi MC, **Nicolucci A**, Guida P, Pontremoli R; AMD-Annals Study Group. Predictors of chronic kidney disease in type 2 diabetes: A longitudinal study from the AMD Annals initiative. *Medicine (Baltimore)*. 2016;95(27):e4007.
171. **Nicolucci A**, Kovacs Burns K, Holt RI, Lucisano G, Skovlund SE, Kokoszka A, Massi Benedetti M, Peyrot M. Correlates of psychological outcomes in people with diabetes: results from the second Diabetes Attitudes, Wishes and Needs (DAWN2<sup>TM</sup>) study. *Diabet Med*. 2016;33:1194-203.
172. Giorda CB, Russo GT, Cerccone S, De Cosmo S, **Nicolucci A**, Cucinotta D. Incidence and correlated factors of beta cell failure in a 4-year follow-up of patients with type 2 diabetes: a longitudinal analysis of the BETADECLINE study. *Acta Diabetol*. 2016 May 18. [Epub ahead of print].
173. Forlani G, Giorda C, Manti R, Mazzella N, De Cosmo S, Rossi MC, **Nicolucci A**, Di Bartolo P, Ceriello A, Guida P; AMD-Annals Study Group. The Burden of NAFLD and Its Characteristics in a Nationwide Population with Type 2 Diabetes. *J Diabetes Res*. 2016;2016:2931985.
174. Kovacs Burns K, Holt RI, **Nicolucci A**, Lucisano G, Skovlund SE, Comaschi M, Vallis M, Peyrot M. Correlates of psychological outcomes among family members of people with diabetes in the second Diabetes Attitudes, Wishes and Needs (DAWN2<sup>TM</sup>) study. *Diabet Med*. 2016;33:1184-93
175. Cherubini V, Pintauro B, Iannilli A, Pambianchi M, Ferrito L, **Nicolucci A**. Long-acting Insulin Analogs Effect on gh/igf Axis of Children with Type 1 Diabetes: a Randomized, Open-label, Two-period, Cross-over Trial. *Exp Clin Endocrinol Diabetes*. 2016;124:276-82.
176. Holt RI, **Nicolucci A**, Kovacs Burns K, Lucisano G, Skovlund SE, Forbes A, Kalra S, Menéndez Torre E, Munro N, Peyrot M. Correlates of psychological care strategies for people with diabetes

in the second Diabetes Attitudes, Wishes and Needs (DAWN2<sup>TM</sup>) study. Diabet Med. 2016 Sep;33(9):1174-83.

177. Zanuso S, Bergamin M, Jimenez A, Pugliese G, D'Errico V, **Nicolucci A**, Ermolao A, Balducci S. Determination of metabolic equivalents during low- and high-intensity resistance exercise in healthy young subjects and patients with type 2 diabetes. Biol Sport. 2016;33:77-82.
178. Robusto F, Lepore V, D'Ettore A, Lucisano G, De Berardis G, Bisceglia L, Tognoni G, **Nicolucci A**. The Drug Derived Complexity Index (DDCI) Predicts Mortality, Unplanned Hospitalization and Hospital Readmissions at the Population Level. PLoS One. 2016;11:e0149203.
179. Ponzani P, Scardapane M, **Nicolucci A**, Rossi MC. Effectiveness and safety of liraglutide after three years of treatment. Minerva Endocrinol. 2016;41:35-42.
180. **Nicolucci A**, Buseghin G, De Portu S. Short-term cost analysis of complications related to glycated hemoglobin in patients with type 1 diabetes in the Italian setting. Acta Diabetol. 2016;53:199-204.
181. Balducci S, Sacchetti M, Haxhi J, Orlando G, Zanuso S, Cardelli P, Cavallo S, D'Errico V, Ribaudo MC, Di Biase N, Salvi L, Vitale M, Bollanti L, Conti FG, **Nicolucci A**, Pugliese G; Italian Diabetes and Exercise Study 2 (IDES\_2) Investigators. The Italian Diabetes and Exercise Study 2 (IDES-2): a long-term behavioral intervention for adoption and maintenance of a physically active lifestyle. Trials. 2015;16:569.
182. Piercy J, Milligan G, Davies MJ, Detournay B, Orozco Beltran D, Chubb B, Bottomley JM, **Nicolucci A**, Jacob S. The Relationship Between Glucose-Lowering Medications, Adherence, and Outcomes in Patients with Type 2 Diabetes. Value Health. 2015 Nov;18(7):A343.
183. Pintaudi B, Lucisano G, Gentile S, Bulotta A, Skovlund SE, Vespasiani G, Rossi MC, **Nicolucci A**; BENCH-D Study Group. Correlates of diabetes-related distress in type 2 diabetes: Findings from the benchmarking network for clinical and humanistic outcomes in diabetes (BENCH-D) study. J Psychosom Res. 2015;79:348-54.
184. De Cosmo S, Viazzi F, Pacilli A, Giorda C, Ceriello A, Gentile S, Russo G, Rossi MC, **Nicolucci A**, Guida P, Feig D, Johnson RJ, Pontremoli R; AMD-Annals Study Group. Serum Uric Acid and Risk of CKD in Type 2 Diabetes. Clin J Am Soc Nephrol. Clin J Am Soc Nephrol. 2015;10:1921-9.
185. Marchetti D, Fraticelli F, Polcini F, Lato R, Pintaudi B, **Nicolucci A**, Fulcheri M, Mohn A, Chiarelli F, Di Vieste G, Vitacolonna E. Preventing Adolescents' Diabetes: Design, Development, and First Evaluation of "Gustavo in Gnam's Planet". Games Health J. 2015;4:344-51.
186. **Nicolucci A**, Cercone S, Chiriatti A, Muscas F, Gensini G. A Randomized Trial on Home Telemonitoring for the Management of Metabolic and Cardiovascular Risk in Patients with Type 2 Diabetes. Diabetes Technol Ther. 2015;17:563-70.
187. Rossi MC, Lucisano G, Funnell M, Pintaudi B, Bulotta A, Gentile S, Scardapane M, Skovlund SE, Vespasiani G, **Nicolucci A**; BENCH-D Study Group. Interplay among patient empowerment and clinical and person-centered outcomes in type 2 diabetes. The BENCH-D study. Patient Educ Couns. 2015;98:1142-9.
188. Balducci S, Cardelli P, Pugliese L, D'Errico V, Haxhi J, Alessi E, Iacobini C, Menini S, Bollanti L, Conti FG, **Nicolucci A**, Pugliese G; Italian Diabetes Exercise Study (IDES) Investigators. Volume-dependent effect of supervised exercise training on fatty liver and visceral adiposity index in subjects with type 2 diabetes The Italian Diabetes Exercise Study (IDES). Diabetes Res Clin Pract. 2015;109:355-63.
189. **Nicolucci A**, Buseghin G, De Portu S. Short-term cost analysis of complications related to glycated hemoglobin in patients with type 1 diabetes in the Italian setting. Acta Diabetol. 2015;52:677-85.
190. De Cosmo S, Viazzi F, Pacilli A, Giorda C, Ceriello A, Gentile S, Russo G, Rossi MC, **Nicolucci A**, Guida P, Di Bartolo P, Pontremoli R; AMD-Annals Study Group. Achievement of therapeutic

targets in patients with diabetes and chronic kidney disease: insights from the Associazione Medici Diabetologi Annals initiative. *Nephrol Dial Transplant*. 2015;30:1526-33.

191. Russo G, Pintaudi B, Giorda C, Lucisano G, **Nicolucci A**, Cristofaro MR, Suraci C, Mulas MF, Napoli A, Rossi MC, Manicardi V. Age- and Gender-Related Differences in LDL-Cholesterol Management in Outpatients with Type 2 Diabetes Mellitus. *Int J Endocrinol*. 2015;2015:957105.
192. Darbà J, Kaskens L, Detournay B, Kern W, **Nicolucci A**, Orozco-Beltrán D, Ramírez de Arellano A. Disability-adjusted life years lost due to diabetes in France, Italy, Germany, Spain, and the United Kingdom: a burden of illness study. *Clinicoecon Outcomes Res*. 2015;7:163-71.
193. Durante C, Costante G, Lucisano G, Bruno R, Meringolo D, Paciaroni A, Puxeddu E, Torlontano M, Tumino S, Attard M, Lamartina L, **Nicolucci A**, Filetti S. The natural history of benign thyroid nodules. *JAMA*. 2015;313:926-35.
194. Giorda CB, Ozzello A, Gentile S, Aglialoro A, Chiambretti A, Baccetti F, Gentile FM, Lucisano G, **Nicolucci A**, Rossi MC; HYPOS-1 Study Group of AMD. Incidence and risk factors for severe and symptomatic hypoglycemia in type 1 diabetes. Results of the HYPOS-1 study. *Acta Diabetol*. 2015;52:845-53.
195. **Nicolucci A**, Pintaudi B, Rossi MC, Messina R, Dotta F, Frontoni S, Caputo S, Lauro R. The social burden of hypoglycemia in the elderly. *Acta Diabetol*. 2015;52:677-85.
196. Rossi MC, Candido R, Ceriello A, Cimino A, Di Bartolo P, Giorda C, Esposito K, Lucisano G, Maggini M, Mannucci E, Meloncelli I, **Nicolucci A**, Pellegrini F, Scardapane M, Vespasiani G. Trends over 8 years in quality of diabetes care: results of the AMD Annals continuous quality improvement initiative. *Acta Diabetol*. 2015;52:557-71.
197. Valentini M, Scardapane M, Bondanini F, Bossi A, Colatrella A, Girelli A, Ciucci A, Leotta S, Minotti E, Pasotti F, Pesenti A, Rocca L, Sciangula L, Vavassori E, **Nicolucci A**. Efficacy, safety and acceptability of the new pen needle 33G × 4 mm. AGO 01 study. *Curr Med Res Opin*. 2015;31:487-92.
198. Pintaudi B, Lucisano G, Pellegrini F, D'Ettorre A, Lepore V, De Berardis G, Scardapane M, Di Vieste G, Rossi MC, Sacco M, Tognoni G, **Nicolucci A**. The long-term effects of stillbirth on women with and without gestational diabetes: a population-based cohort study. *Diabetologia*. 2015;58:67-74.
199. Giorda CB, Ozzello A, Gentile S, Aglialoro A, Chiambretti A, Baccetti F, Gentile FM, Lucisano G, **Nicolucci A**, Rossi MC; HYPOS-1 Study Group of AMD. Incidence and risk factors for severe and symptomatic hypoglycemia in type 1 diabetes. Results of the HYPOS-1 study. *Acta Diabetol*. 2015;52:845-53.
200. Russo GT, Giorda CB, Cercone S, Nicolucci A, Cucinotta D; BetaDecline Study Group. Factors associated with beta-cell dysfunction in type 2 diabetes: the BETADECLINE study. *PLoS One*. 2014 Oct 27;9(10):e109702.
201. Pugliese G, Solini A, Bonora E, Fondelli C, Orsi E, **Nicolucci A**, Penno G; RIACE Study Group. Chronic kidney disease in type 2 diabetes: Lessons from the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicentre Study. *Nutr Metab Cardiovasc Dis*. 2014 24:815-22.
202. Russo GT, Giorda CB, Cercone S, **Nicolucci A**, Cucinotta D; BetaDecline Study Group. Factors associated with beta-cell dysfunction in type 2 diabetes: the BETADECLINE study. *PLoS One*. 2014;9(10):e109702.
203. Gulli G, Frasson S, Borzì V, Fontanella A, Grandi M, Marengo C, **Nicolucci A**, Pastorelli R, Solerte B, Gatti A, Raimondo FC, Bonizzoni E, Gussoni G, Mazzone A, Ceriello A. Effectiveness of an educational intervention on the management of type 2 diabetic patients hospitalized in Internal Medicine: results from the FADOI-DIAMOND study. *Acta Diabetol*. 2014;51:765-70.

204. Buscemi S, Sprini D, Grosso G, Galvano F, **Nicolucci A**, Lucisano G, Massenti FM, Amodio E, Rini GB. Impact of lifestyle on metabolic syndrome in apparently healthy people. *Eat Weight Disord.* 2014;19:225-32.
205. Cherubini V, Pintaudi B, Rossi MC, Lucisano G, Pellegrini F, Chiumello G, Frongia AP, Monciotti C, Patera IP, Toni S, Zucchini S, **Nicolucci A**; SHIP-D Study Group. Severe hypoglycemia and ketoacidosis over one year in Italian pediatric population with type 1 diabetes mellitus: a multicenter retrospective observational study. *Nutr Metab Cardiovasc Dis.* 2014;24:538-46.
206. Buscemi S, **Nicolucci A**, Lucisano G, Galvano F, Grosso G, Belmonte S, Sprini D, Migliaccio S, Cianferotti L, Brandi ML, Rini GB. Habitual fish intake and clinically silent carotid atherosclerosis. *Nutr J.* 2014;13:2.
207. Giorda CB, **Nicolucci A**, Pellegrini F, Kristiansen CK, Hunt B, Valentine WJ, Vespasiani G. Improving quality of care in people with Type 2 diabetes through the Associazione Medici Diabetologi-annals initiative: a long-term cost-effectiveness analysis. *Diabet Med.* 2014;31:615-23.
208. Balducci S, Sacchetti M, Orlando G, Salvi L, Pugliese L, Salerno G, D'Errico V, Iacobini C, Conti FG, Zanuso S, **Nicolucci A**, Pugliese G; Study on the Assessment of Determinants of Muscle and Bone Strength Abnormalities in Diabetes SAMBA Investigators. Correlates of muscle strength in diabetes: The study on the assessment of determinants of muscle and bone strength abnormalities in diabetes (SAMBA). *Nutr Metab Cardiovasc Dis.* 2014;24:18-26.
209. **Nicolucci A**, Rossi MC, Pellegrini F, Lucisano G, Pintaudi B, Gentile S, Marra G, Skovlund SE, Vespasiani G; BENCH-D Study Group. Benchmarking network for clinical and humanistic outcomes in diabetes (BENCH-D) study: protocol, tools, and population. *Springerplus.* 2014;3:83.
210. De Cosmo S, Rossi MC, Pellegrini F, Lucisano G, Bacci S, Gentile S, Ceriello A, Russo G, **Nicolucci A**, Giorda C, Viazzi F, Pontremoli R; AMD-Annals Study Group. Kidney dysfunction and related cardiovascular risk factors among patients with type 2 diabetes. *Nephrol Dial Transplant.* 2014;29:657-62.
211. Buscemi S, **Nicolucci A**, Lucisano G, Galvano F, Grosso G, Massenti FM, Amodio E, Bonura A, Sprini D, Rini GB. Impact of chronic diuretic treatment on glucose homeostasis. *Diabetol Metab Syndr.* 2013;5:80.
212. Pintaudi B, Di Vieste G, Corrado F, Lucisano G, Pellegrini F, Giunta L, **Nicolucci A**, D'Anna R, Di Benedetto A. Improvement of selective screening strategy for gestational diabetes through a more accurate definition of high-risk groups. *Eur J Endocrinol.* 2013;170:87-93.
213. Polonsky W, Traylor L, Wei W, Shi R, Ameer B, Vlajnic A, **Nicolucci A**. More satisfied, but why? A pooled patient-level analysis of treatment satisfaction following the initiation of insulin glargine vs. comparators in insulin-naïve patients with type 2 diabetes mellitus. *Diabetes Obes Metab.* 2014;16:255-61.
214. Buscemi S, **Nicolucci A**, Mattina A, Rosafio G, Massenti FM, Lucisano G, Galvano F, Amodio E, Pellegrini F, Barile AM, Maniaci V, Grosso G, Verga S, Sprini D, Rini GB. Association of dietary patterns with insulin resistance and clinically silent carotid atherosclerosis in apparently healthy people. *Eur J Clin Nutr.* 2013;67:1284-90.
215. Franciosi M, Lucisano G, Lapice E, Strippoli GF, Pellegrini F, **Nicolucci A**. Metformin therapy and risk of cancer in patients with type 2 diabetes: systematic review. *PLoS One.* 2013;8:e71583.
216. Schuetz CA, Alperin P, Guda S, van Herick A, Cariou B, Eddy D, Gumprecht J, **Nicolucci A**, Schwarz P, Wareham NJ, Witte DR, Smith U. A standardized vascular disease health check in europe: a cost-effectiveness analysis. *PLoS One.* 2013;8:e66454.
217. Rossi MC, **Nicolucci A**, Lucisano G, Pellegrini F, Di Bartolo P, Miselli V, Anichini R, Vespasiani G; Did Study Group. Impact of the "Diabetes Interactive Diary" telemedicine system on metabolic control, risk of hypoglycemia, and quality of life: a randomized clinical trial in type 1 diabetes. *Diabetes Technol Ther.* 2013;15:670-9.

218. Rossi MC, Cristofaro MR, Gentile S, Lucisano G, Manicardi V, Mulas MF, Napoli A, **Nicolucci A**, Pellegrini F, Suraci C, Giorda C; on behalf of the AMD Annals Study Group. Sex Disparities in the Quality of Diabetes Care: Biological and Cultural Factors May Play a Different Role for Different Outcomes: A cross-sectional observational study from the AMD Annals initiative. *Diabetes Care*. 2013;36:3162-8.
219. Saglimbene V, D'Alonzo D, Ruospo M, Vecchio M, Natale P, Gargano L, **Nicolucci A**, et al. Effects of Dose of Erythropoiesis Stimulating Agents on Cardiovascular Outcomes, Quality of Life and Costs of Haemodialysis. The Clinical Evaluation of the DOSe of Erythropoietins (C.E. DOSE) Trial]. *G Ital Nefrol*. 2013 Mar-Apr;30(2).
220. **Nicolucci A**, Kovacs Burns K, Holt RI, Comaschi M, Hermanns N, Ishii H, Kokoszka A, Pouwer F, Skovlund SE, Stuckey H, Tarkun I, Vallis M, Wens J, Peyrot M; DAWN2 Study Group. Diabetes Attitudes, Wishes and Needs second study (DAWN2™): Cross-national benchmarking of diabetes-related psychosocial outcomes for people with diabetes. *Diabet Med*. 2013;30:767-77.
221. Holt RI, **Nicolucci A**, Kovacs Burns K, Escalante M, Forbes A, Hermanns N, Kalra S, Massi-Benedetti M, Mayorov A, Menéndez-Torre E, Munro N, Skovlund SE, Tarkun I, Wens J, Peyrot M; DAWN2 Study Group. Diabetes Attitudes, Wishes and Needs second study (DAWN2™): Cross-national comparisons on barriers and resources for optimal care-healthcare professional perspective. *Diabet Med*. 2013;30:789-98.
222. Kovacs Burns K, **Nicolucci A**, Holt RI, Willaing I, Hermanns N, Kalra S, Wens J, Pouwer F, Skovlund SE, Peyrot M; DAWN2 Study Group. Diabetes Attitudes, Wishes and Needs second study (DAWN2™): Cross-national benchmarking indicators for family members living with people with diabetes. *Diabet Med*. 2013;30:778-88.
223. Palmer SC, Vecchio M, Craig JC, Tonelli M, Johnson DW, **Nicolucci A**, Pellegrini F, Saglimbene V, Logroscino G, Hedayati SS, Strippoli GF. Association Between Depression and Death in People With CKD: A Meta-analysis of Cohort Studies. *Am J Kidney Dis*. 2013;62:493-505.
224. Penno G, Solini A, Bonora E, Fondelli C, Orsi E, Zerbini G, Trevisan R, Vedovato M, Gruden G, Laviola L, **Nicolucci A**, Pugliese G; the Renal Insufficiency And Cardiovascular Events (RIACE) study, group. Gender differences in cardiovascular disease risk factors, treatments and complications in patients with type 2 diabetes: the RIACE Italian multicentre study. *J Intern Med*. 2013;274:176-91.
225. Penno G, Solini A, Bonora E, Fondelli C, Orsi E, Zerbini G, Morano S, Cavalot F, Lamacchia O, Laviola L, **Nicolucci A**, Pugliese G; for the Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. HbA1c Variability As an Independent Correlate of Nephropathy, but Not Retinopathy, in Patients With Type 2 Diabetes: The Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. *Diabetes Care*. 2013; 36:2301-10.
226. Palmer S, Vecchio M, Craig JC, Tonelli M, Johnson DW, **Nicolucci A**, Pellegrini F, Saglimbene V, Logroscino G, Fishbane S, Strippoli GF. Prevalence of depression in chronic kidney disease: systematic review and meta-analysis of observational studies. *Kidney Int*. 2013;84:179-91.
227. Peyrot M, Burns KK, Davies M, Forbes A, Hermanns N, Holt R, Kalra S, **Nicolucci A**, Pouwer F, Wens J, Willaing I, Skovlund SE. Diabetes Attitudes Wishes and Needs 2 (DAWN2): a multinational, multi-stakeholder study of psychosocial issues in diabetes and person-centred diabetes care. *Diabetes Res Clin Pract*. 2013;99:174-84.
228. Davies C, Pan H, Godwin J, Gray R, Arriagada R, Raina V, Abraham M, Medeiros Alencar VH, Badran A, Bonfill X, Bradbury J, Clarke M, Collins R, Davis SR, Delmestri A, Forbes JF, Haddad P, Hou MF, Inbar M, Khaled H, Kielanowska J, Kwan WH, Mathew BS, Mittra I, Müller B, **Nicolucci A**, Peralta O, Pernas F, Petruzella L, Pienkowski T, Radhika R, Rajan B, Rubach MT, Tort S, Urrútia G, Valentini M, Wang Y, Peto R; Adjuvant Tamoxifen: Longer Against Shorter (ATLAS) Collaborative Group. Long-term effects of continuing adjuvant tamoxifen to 10 years versus stopping at 5 years after diagnosis of oestrogen receptor-positive breast cancer: ATLAS, a randomised trial. *Lancet*. 2013;381:805-16.

229. Franciosi M, Lucisano G, Amoretti R, Capani F, Bruttomesso D, Di Bartolo P, Girelli A, Leonetti F, Morviducci L, Vitacolonna E, **Nicolucci A**. Costs of treatment and complications of adult type 1 diabetes. *Nutr Metab Cardiovasc Dis*. 2013;23:606-11.
230. Cucinotta D, Caputo S, Mannucci E, **Nicolucci A**, Pellegrini F, Perriello G, Sbraccia P. Safety and efficacy of insulin aspart and soluble human insulin in Type 2 diabetes mellitus. *Minerva Endocrinol*. 2012;37:357-66.
231. Balducci S, Zanuso S, Cardelli P, Salvi L, Bazuro A, Pugliese L, Maccora C, Iacobini C, Conti FG, **Nicolucci A**, Pugliese G; Italian Diabetes Exercise Study (IDES) Investigators. Effect of high-versus low-intensity supervised aerobic and resistance training on modifiable cardiovascular risk factors in type 2 diabetes; the Italian Diabetes and Exercise Study (IDES). *PLoS One*. 2012;7(11):e49297.
232. Vaccaro O, Masulli M, Bonora E, Del Prato S, **Nicolucci A**, Rivellese AA, Riccardi G; TOSCA.IT Study Group. The TOSCA.IT trial: a study designed to evaluate the effect of pioglitazone versus sulfonylureas on cardiovascular disease in type 2 diabetes. *Diabetes Care*. 2012;35:e82.
233. Penno G, Solini A, Zoppini G, Orsi E, Zerbini G, Trevisan R, Gruden G, Cavalot F, Laviola L, Morano S, **Nicolucci A**, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Rate and determinants of association between advanced retinopathy and chronic kidney disease in patients with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian multicenter study. *Diabetes Care*. 2012;35:2317-23.
234. Vaccaro O, Masulli M, Bonora E, Del Prato S, Giorda CB, Maggioni AP, Mocarelli P, **Nicolucci A**, Rivellese AA, Squatrito S, Riccardi G; TOSCA.IT study group (Thiazolidinediones Or Sulphonylureas and Cardiovascular Accidents. Intervention Trial). Addition of either pioglitazone or a sulfonylurea in type 2 diabetic patients inadequately controlled with metformin alone: impact on cardiovascular events. A randomized controlled trial. *Nutr Metab Cardiovasc Dis*. 2012;22:997-1006.
235. Pugliese G, Solini A, Zoppini G, Fondelli C, Zerbini G, Vedovato M, Cavalot F, Lamacchia O, Buzzetti R, Morano S, **Nicolucci A**, Penno G; Renal Insufficiency and Cardiovascular Events (RIACE) Study Group. High prevalence of advanced retinopathy in patients with type 2 diabetes from the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. *Diabetes Res Clin Pract*. 2012;98:329-37.
236. Quaglietta A, **Nicolucci A**, Accorsi P, Pompa A, Pierelli L, Iacone A. Survey of current practice for monitoring and management of platelet refractoriness in Italy. *Transfus Apher Sci*. 2012;47:271-6.
237. Strippoli GF; Collaborative Depression and Sexual Dysfunction (CDS) in Hemodialysis Working Group, Vecchio M, Palmer S, De Berardis G, Craig J, Lucisano G, Johnson D, Pellegrini F, **Nicolucci A**, Sciancalepore M, Saglimbene V, Gargano L, Bonifati C, Ruospo M, Navaneethan SD, Montinaro V, Stroumza P, Zsom M, Torok M, Celia E, Gelfman R, Bednarek-Skublewska A, Dulawa J, Graziano G, Gentile G, Ferrari JN, Santoro A, Zucchelli A, Triolo G, Maffei S, Hegbrant J, Wollheim C, De Cosmo S, Manfreda VM. Sexual dysfunction in women with ESRD requiring hemodialysis. *Clin J Am Soc Nephrol*. 2012;7:974-81.
238. Macchia A, Laffaye N, Comignani PD, Cornejo Pucci E, Igarzabal C, Scazziotta AS, Herrera L, Mariani JA, Bragagnolo JC, Catalano H, Tognoni G, **Nicolucci A**. Statins but not aspirin reduce thrombotic risk assessed by thrombin generation in diabetic patients without cardiovascular events: the RATIONAL trial. *PLoS One*. 2012;7:e32894.
239. **Nicolucci A**, Balducci S, Cardelli P, Cavallo S, Fallucca S, Bazuro A, Simonelli P, Iacobini C, Zanuso S, Pugliese G; Italian Diabetes Exercise Study Investigators. Relationship of exercise volume to improvements of quality of life with supervised exercise training in patients with type 2 diabetes in a randomised controlled trial: the Italian Diabetes and Exercise Study (IDES). *Diabetologia*. 2012;55:579-88.
240. Balducci S, Zanuso S, Cardelli P, Salvi L, Mazzitelli G, Bazuro A, Iacobini C, **Nicolucci A**, Pugliese G; Italian Diabetes Exercise Study (IDES) Investigators. Changes in physical fitness predict improvements in modifiable cardiovascular risk factors independently of body weight loss in

subjects with type 2 diabetes participating in the Italian Diabetes and Exercise Study (IDES). *Diabetes Care*. 2012;35:1347-54.

241. Palmer SC, Di Micco L, Razavian M, Craig JC, Perkovic V, Pellegrini F, Copetti M, Graziano G, Tognoni G, Jardine M, Webster A, **Nicolucci A**, Zoungas S, Strippoli GF. Effects of antiplatelet therapy on mortality and cardiovascular and bleeding outcomes in persons with chronic kidney disease: a systematic review and meta-analysis. *Ann Intern Med*. 2012;156:445-59.
242. Collaborative Depression and Sexual Dysfunction in Hemodialysis Working Group, Vecchio M, Palmer S, De Berardis G, Craig J, Johnson D, Pellegrini F, **Nicolucci A**, Sciancalepore M, Saglimbene V, Gargano L, Bonifati C, Ruospo M, Navaneethan SD, Montinaro V, Stroumza P, Zsom M, Torok M, Celia E, Gelfman R, Bednarek-Skubiewska A, Dulawa J, Graziano G, Lucisano G, Gentile G, Ferrari JN, Santoro A, Zucchelli A, Triolo G, Maffei S, Hegbrant J, Wollheim C, De Cosmo S, Manfreda VM, Strippoli GF. Prevalence and correlates of erectile dysfunction in men on chronic haemodialysis: a multinational cross-sectional study. *Nephrol Dial Transplant*. 2012;27:2479-88.
243. Franciosi M, Caccamo L, De Simone P, Pinna AD, Di Costanzo GG, Volpes R, Scuderi V, Strignano P, Boccagni P, Burra P, **Nicolucci A**; TWINS I Study Group. Development and validation of a questionnaire evaluating the impact of hepatitis B immune globulin prophylaxis on the quality of life of liver transplant recipients. *Liver Transpl*. 2012;18:332-9
244. Solini A, Penno G, Bonora E, Fondelli C, Orsi E, Arosio M, Trevisan R, Vedovato M, Cignarelli M, Andreozzi F, **Nicolucci A**, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Diverging association of reduced glomerular filtration rate and albuminuria with coronary and noncoronary events in patients with type 2 diabetes: the renal insufficiency and cardiovascular events (RIACE) Italian multicenter study. *Diabetes Care*. 2012;35:143-9.
245. De Berardis G, Lucisano G, D'Ettorre A, Pellegrini F, Lepore V, Tognoni G, **Nicolucci A**. Association of aspirin use with major bleeding in patients with and without diabetes. *JAMA*. 2012;307:2286-94.
246. Del Prato S, **Nicolucci A**, Lovagnini-Scher AC, Turco S, Leotta S, Vespasiani G; ELEONOR Study Group. Telecare Provides comparable efficacy to conventional self-monitored blood glucose in patients with type 2 diabetes titrating one injection of insulin glulisine-the ELEONOR study. *Diabetes Technol Ther*. 2012;14:175-82.
247. Balducci S, Zanuso S, Cardelli P, Salerno G, Fallucca S, **Nicolucci A**, Pugliese G; Italian Diabetes Exercise Study (IDES) Investigators. Supervised exercise training counterbalances the adverse effects of insulin therapy in overweight/obese subjects with type 2 diabetes. *Diabetes Care*. 2012;35:39-41.
248. Dalfrà MG, Nicolucci A, Bisson T, Bonsembiante B, Lapolla A; QLISG (Quality of Life Italian Study Group). Quality of life in pregnancy and post-partum: a study in diabetic patients. *Qual Life Res*. 2012;21:291-8.
249. De Berardis G, D'Ettorre A, Graziano G, Lucisano G, Pellegrini F, Cammarota S, Citarella A, Germinario CA, Lepore V, Menditto E, Nicolosi A, Vitullo F, **Nicolucci A**; DADA (Diabetes Administrative Data Analysis) Study Group. The burden of hospitalization related to diabetes mellitus: a population-based study. *Nutr Metab Cardiovasc Dis*. 2012;22:605-12.
250. Klonoff DC, Blonde L, Cembrowski G, Chacra AR, Charpentier G, Colagiuri S, Dailey G, Gabbay RA, Heinemann L, Kerr D, **Nicolucci A**, Polonsky W, Schnell O, Vigersky R, Yale JF. Consensus report: the current role of self-monitoring of blood glucose in non-insulin-treated type 2 diabetes. *J Diabetes Sci Technol*. 2011;5:1529-48.
251. **Nicolucci A**, Balducci S, Cardelli P, Zanuso S, Pugliese G; Italian Diabetes Exercise Study (IDES) Investigators. Improvement of quality of life with supervised exercise training in subjects with type 2 diabetes mellitus. *Arch Intern Med*. 2011;171:1951-3.
252. **Nicolucci A**, Del Prato S, Vespasiani G; ELEONOR Study Group. Optimizing insulin glargine plus one injection of insulin glulisine in type 2 diabetes in the ELEONOR study: similar effects of

telecare and conventional self-monitoring of blood glucose on patient functional health status and treatment satisfaction. *Diabetes Care*. 2011;34:2524-6.

253. Penno G, Solini A, Bonora E, Fondelli C, Orsi E, Zerbini G, Trevisan R, Vedovato M, Gruden G, Cavalot F, Cignarelli M, Laviola L, Morano S, **Nicolucci A**, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Clinical significance of nonalbuminuric renal impairment in type 2 diabetes. *J Hypertens*. 2011;29:1802-9.
254. **Nicolucci A**. Fact and figures about diabetes in Italy. *Assist Inferm Ric*. 2011;30(2):100-6.
255. Pugliese G, Solini A, Bonora E, Orsi E, Zerbini G, Giorgino F, Cavalot F, Pontiroli AE, Baroni MG, Morano S, **Nicolucci A**, Penno G. The Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) equation provides a better definition of cardiovascular burden associated with CKD than the Modification of Diet in Renal Disease (MDRD) Study formula in subjects with type 2 diabetes. *Atherosclerosis*. 2011;218:194-9.
256. **Nicolucci A**, Standl E. Antiplatelet therapy for every diabetic person? *Diabetes Care*. 2011;34 Suppl 2:S150-4.
257. Pugliese G, Solini A, Fondelli C, Trevisan R, Vedovato M, **Nicolucci A**, Penno G; for the Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Reproducibility of albuminuria in type 2 diabetic subjects. Findings from the Renal Insufficiency And Cardiovascular Events (RIACE) Study. *Nephrol Dial Transplant*. 2011;26:3950-4.
258. Maione A, Navaneethan SD, Graziano G, Mitchell R, Johnson D, Mann JF, Gao P, Craig JC, Tognoni G, Perkovic V, **Nicolucci A**, De Cosmo S, Sasso A, Lamacchia O, Cignarelli M, Manfreda VM, Gentile G, Strippoli GF. Angiotensin-converting enzyme inhibitors, angiotensin receptor blockers and combined therapy in patients with micro- and macroalbuminuria and other cardiovascular risk factors: a systematic review of randomized controlled trials. *Nephrol Dial Transplant*. 2011;26:2827-47.
259. Franciosi M, Lucisano G, Pellegrini F, Cantarello A, Consoli A, Cucco L, Ghidelli R, Sartore G, Sciangula L, **Nicolucci A**; ROSES Study Group. ROSES: role of self-monitoring of blood glucose and intensive education in patients with Type 2 diabetes not receiving insulin. A pilot randomized clinical trial. *Diabet Med*. 2011;28:789-96.
260. Valentini M, Milesi A, Bettini A, Tondini C, **Nicolucci A**. Type and trends in outcomes research in breast cancer between 2000 and 2007. *Ann Oncol*. 2011;22:2160-5.
261. Musacchio N, Lovagnini Scher A, Giancaterini A, Pessina L, Salis G, Schivalocchi F, **Nicolucci A**, Pellegrini F, Rossi MC. Impact of a chronic care model based on patient empowerment on the management of Type 2 diabetes: effects of the SINERGIA programme. *Diabet Med*. 2011;28:724-30.
262. Rossi MC, Lucisano G, Comaschi M, Coscelli C, Cucinotta D, Di Blasi P, Bader G, Pellegrini F, Valentini U, Vespasiani G, **Nicolucci A**; AMD-QUASAR Study Group. Quality of diabetes care predicts the development of cardiovascular events: results of the AMD-QUASAR study. *Diabetes Care*. 2011;34:347-52.
263. Balducci S, Zanuso S, **Nicolucci A**, De Feo P, Cavallo S, Cardelli P, Fallucca S, Alessi E, Fallucca F, Pugliese G; Italian Diabetes Exercise Study (IDES) Investigators. Effect of an intensive exercise intervention strategy on modifiable cardiovascular risk factors in subjects with type 2 diabetes mellitus: a randomized controlled trial: the Italian Diabetes and Exercise Study (IDES). *Arch Intern Med*. 2010;170:1794-803.
264. **Nicolucci A**, Rossi MC, Arcangeli A, Cimino A, de Bigontina G, Fava D, Gentile S, Giorda C, Meloncelli I, Pellegrini F, Valentini U, Vespasiani G; AMD-Annals Study Group. Four-year impact of a continuous quality improvement effort implemented by a network of diabetes outpatient clinics: the AMD-Annals initiative. *Diabet Med*. 2010;27:1041-8.
265. Chiodini BD, Specchia C, Gori F, Barlera S, D'Orazio A, Pietri S, Crociati L, **Nicolucci A**, Franciosi M, Signorini S, Brambilla P, Grazia Franzosi M; GISSI Prevenzione Investigators; SiBioC-GISSI Prevenzione Group. Adiponectin gene polymorphisms and their effect on the risk of myocardial

infarction and type 2 diabetes: an association study in an Italian population. *Ther Adv Cardiovasc Dis.* 2010;4:223-30.

266. Rizza S, Cardellini M, Martelli E, Porzio O, Pecchioli C, **Nicolucci A**, Marx N, Lauro D, Ippoliti A, Romeo F, Lauro R, Federici M. Occult impaired glucose regulation in patients with atherosclerosis is associated to the number of affected vascular districts and inflammation. *Atherosclerosis.* 2010;212:316-20.
267. Valentini M, Pirozzoli MC, D'Alonzo D, Pirozzi L, Anechino C, Tuzi F, Romero M, **Nicolucci A**, Strippoli GF, Belfiglio M, Marchioli R, Masciulli A, Silletta MG, Tognoni G; Gruppo di lavoro sulla sperimentazione clinica. Memorandum for the management of clinical trials. *Assist Inferm Ric.* 2010;29:26-40..
268. Palmer SC, Navaneethan SD, Craig JC, Johnson DW, Tonelli M, Garg AX, Pellegrini F, Ravani P, Jardine M, Perkovic V, Graziano G, McGee R, **Nicolucci A**, Tognoni G, Strippoli GF. Meta-analysis: erythropoiesis-stimulating agents in patients with chronic kidney disease. *Ann Intern Med.* 2010;153:23-33.
269. Gori F, Specchia C, Pietri S, Crociati L, Barlera S, Franciosi M, **Nicolucci A**, Signorini S, Brambilla P, Franzosi MG; GISSI Prevenzione Investigators; SIBioC-GISSI Prevenzione Group. Common genetic variants on chromosome 9p21 are associated with myocardial infarction and type 2 diabetes in an Italian population. *BMC Med Genet.* 2010;11:60.
270. **Nicolucci A**. Epidemiological aspects of neoplasms in diabetes. *Acta Diabetol.* 2010;47:87-95.
271. Modica S, Gofflot F, Murzilli S, D'Orazio A, Salvatore L, Pellegrini F, **Nicolucci A**, Tognoni G, Copetti M, Valanzano R, Veschi S, Mariani-Costantini R, Palasciano G, Schoonjans K, Auwerx J, Moschetta A. The intestinal nuclear receptor signature with epithelial localization patterns and expression modulation in tumors. *Gastroenterology.* 2010 138:636-48, 648.e1-12.
272. Rossi MC, **Nicolucci A**, Di Bartolo P, Bruttomesso D, Girelli A, Ampudia FJ, Kerr D, Ceriello A, Mayor Cde L, Pellegrini F, Horwitz D, Vespasiani G. Diabetes Interactive Diary: a new telemedicine system enabling flexible diet and insulin therapy while improving quality of life: an open-label, international, multicenter, randomized study. *Diabetes Care.* 2010;33:109-15.
273. Franciosi M, Maione A, Pomili B, Amoretti R, Busetto E, Capani F, Bruttomesso D, Di Bartolo P, Girelli A, Leonetti F, Morviducci L, Ponzi P, Vitacolonna E, **Nicolucci A**. Correlates of quality of life in adults with type 1 diabetes treated with continuous subcutaneous insulin injection. *Nutr Metab Cardiovasc Dis.* 2010;20:7-14.
274. Balducci S, Zanuso S, **Nicolucci A**, Fernando F, Cavallo S, Cardelli P, Fallucca S, Alessi E, Letizia C, Jimenez A, Fallucca F, Pugliese G. Anti-inflammatory effect of exercise training in subjects with type 2 diabetes and the metabolic syndrome is dependent on exercise modalities and independent of weight loss. *Nutr Metab Cardiovasc Dis.* 2010;20:608-17.
275. Rossi MC, **Nicolucci A**, Pellegrini F, Comaschi M, Ceriello A, Cucinotta D, Giorda C, Pomili B, Valentini U, Vespasiani G, De Cosmo S. Obesity and changes in urine albumin/creatinine ratio in patients with type 2 diabetes: the DEMAND study. *Nutr Metab Cardiovasc Dis.* 2010;20:110-6.
276. **Nicolucci A**, Anfossi G, Russo I, Trovati M. [The JPAD study]. *G Ital Cardiol (Rome).* 2009;10:709-12.
277. Greenfield S, Billimek J, Pellegrini F, Franciosi M, De Berardis G, **Nicolucci A**, Kaplan SH. Comorbidity affects the relationship between glycemic control and cardiovascular outcomes in diabetes: a cohort study. *Ann Intern Med.* 2009;151:854-60.
278. De Berardis G, Sacco M, Strippoli GF, Pellegrini F, Graziano G, Tognoni G, **Nicolucci A**. Aspirin for primary prevention of cardiovascular events in people with diabetes: meta-analysis of randomised controlled trials. *BMJ* 2009;339:b4531.
279. Rossi MC, **Nicolucci A**. Liraglutide in type 2 diabetes: from pharmacological development to clinical practice. *Acta Biomed.* 2009;80:93-101.

280. Dalfrà MG, **Nicolucci A**, Lapolla A; TISG. The effect of telemedicine on outcome and quality of life in pregnant women with diabetes. *J Telemed Telecare*. 2009;15(5):238-42.
281. Hackshaw A, Baum M, Fornander T, Nordenskjöld B, **Nicolucci A**, Monson K, Forsyth S, Reczko K, Johansson U, Fohlin H, Valentini M, Sainsbury R. Long-term effectiveness of adjuvant goserelin in premenopausal women with early breast cancer. *J Natl Cancer Inst*. 2009;101:341-9.
282. De Berardis G, Pellegrini F, Franciosi M, Pamparana F, Morelli P, Tognoni G, **Nicolucci A**; EDEN Study Group. Management of erectile dysfunction in general practice. *J Sex Med*. 2009;6:1127-34.
283. Rossi MC, **Nicolucci A**, Pellegrini F, Bruttomesso D, Bartolo PD, Marelli G, Dal Pos M, Galetta M, Horwitz D, Vespasiani G. Interactive diary for diabetes: A useful and easy-to-use new telemedicine system to support the decision-making process in type 1 diabetes. *Diabetes Technol Ther*. 2009;11:19-24.
284. **Nicolucci A**, Cucinotta D, Squatrito S, Lapolla A, Musacchio N, Leotta S, Vitali L, Bulotta A, Nicoziani P, Coronel G; QuoLITy Study Group. Clinical and socio-economic correlates of quality of life and treatment satisfaction in patients with type 2 diabetes. *Nutr Metab Cardiovasc Dis*. 2009;19:45-53.
285. **Nicolucci A**, Rossi MC. Incretin-based therapies: a new potential treatment approach to overcome clinical inertia in type 2 diabetes. *Acta Biomed*. 2008;79:184-91.
286. **Nicolucci A**. Aspirin for primary prevention of cardiovascular events in diabetes: still an open question. *JAMA*. 2008;300:2180-1.
287. Rossi MC, **Nicolucci A**, Arcangeli A, Cimino A, De Bigontina G, Giorda C, Meloncelli I, Pellegrini F, Valentini U, Vespasiani G; Associazione Medici Diabetologi Annals Study Group. Baseline quality-of-care data from a quality-improvement program implemented by a network of diabetes outpatient clinics. *Diabetes Care*. 2008;31:2166-8.
288. Di Bartolomeo P, Santarone S, Di Bartolomeo E, Oliosio P, Bavaro P, Papalinetti G, Di Carlo P, Papola F, **Nicolucci A**, Di Nicola M, Iacone A. Long-term results of survival in patients with thalassemia major treated with bone marrow transplantation. *Am J Hematol*. 2008;83:528-30.
289. Strippoli GF, Navaneethan SD, Johnson DW, Perkovic V, Pellegrini F, **Nicolucci A**, Craig JC. Effects of statins in patients with chronic kidney disease: meta-analysis and meta-regression of randomised controlled trials. *BMJ*. 2008;336:645-51.
290. Pupillo M, De Berardis G, Antenucci D, Minnucci A, **Nicolucci A**. Glycated haemoglobin or mean blood glucose as indicators of metabolic control in Type 2 diabetes? *Diabetes Res Clin Pract*. 2008;80:e1-3.
291. EQuality1 Study Group--Evaluation of QUALITY of Life and Costs in Diabetes Type 1, **Nicolucci A**, Maione A, Franciosi M, Amoretti R, Busetto E, Capani F, Bruttomesso D, Di Bartolo P, Girelli A, Leonetti F, Morviducci L, Ponzi P, Vitacolonna E. Quality of life and treatment satisfaction in adults with Type 1 diabetes: a comparison between continuous subcutaneous insulin infusion and multiple daily injections. *Diabet Med*. 2008;25:213-20.
292. Balducci S, Zanuso S, Massarini M, Corigliano G, **Nicolucci A**, Missori S, Cavallo S, Cardelli P, Alessi E, Pugliese G, Fallucca F; Italian Diabetes Exercise Study (IDES) Group. The Italian Diabetes and Exercise Study (IDES): design and methods for a prospective Italian multicentre trial of intensive lifestyle intervention in people with type 2 diabetes and the metabolic syndrome. *Nutr Metab Cardiovasc Dis*. 2008;18:585-95.
293. Rossi MC, **Nicolucci A**, Pellegrini F, Comaschi M, Ceriello A, Cucinotta D, Giorda C, Valentini U, Vespasiani G, De Cosmo S. Identifying patients with type 2 diabetes at high risk of microalbuminuria: results of the DEMAND (Developing Education on Microalbuminuria for Awareness of reNal and cardiovascular risk in Diabetes) Study. *Nephrol Dial Transplant*. 2008;23:1278-84.

294. Formoso G, De Filippis EA, Michetti N, Di Fulvio P, Pandolfi A, Bucciarelli T, Ciabattini G, **Nicolucci A**, Davì G, Consoli A. Decreased in vivo oxidative stress and decreased platelet activation following metformin treatment in newly diagnosed type 2 diabetic subjects. *Diabetes Metab Res Rev*. 2008;24:231-7.
295. De Berardis G, Pellegrini F, Franciosi M, Belfiglio M, Di Nardo B, Greenfield S, Kaplan SH, Rossi MC, Sacco M, Tognoni G, Valentini M, **Nicolucci A**; QuED (Quality of Care and Outcomes in Type 2 Diabetes) Study Group. Quality of diabetes care predicts the development of cardiovascular events: results of the QuED study. *Nutr Metab Cardiovasc Dis*. 2008;18:57-65.
296. Maione A, **Nicolucci A**, Craig JC, Tognoni G, Moschetta A, Palasciano G, Pugliese G, Procaccini DA, Gesualdo L, Pellegrini F, Strippoli GF; LIRICO study group. Protocol of the Long-term Impact of RAS Inhibition on Cardiorenal Outcomes (LIRICO) randomized trial. *J Nephrol*. 2007;20:646-55.
297. De Berardis G, Sacco M, Evangelista V, Filippi A, Giorda CB, Tognoni G, Valentini U, **Nicolucci A**; ACCEPT-D Study Group. Aspirin and Simvastatin Combination for Cardiovascular Events Prevention Trial in Diabetes (ACCEPT-D): design of a randomized study of the efficacy of low-dose aspirin in the prevention of cardiovascular events in subjects with diabetes mellitus treated with statins. *Trials*. 2007 Aug 28;8:21.
298. Franciosi M, Pellegrini F, Sacco M, De Berardis G, Rossi MC, Strippoli GF, Belfiglio M, Tognoni G, Valentini M, **Nicolucci A**; IGLOO (Impaired Glucose tolerance, and Long-term Outcomes Observational Study) Study Group. Identifying patients at risk for microalbuminuria via interaction of the components of the metabolic syndrome: a cross-sectional analytic study. *Clin J Am Soc Nephrol*. 2007;2:984-91.
299. Evangelista V, de Berardis G, Totani L, Avanzini F, Giorda CB, Brero L, Levantesi G, Marelli G, Pupillo M, Iacuitti G, Pozzoli G, di Summa P, Nada E, de Simone G, Dell'Elba G, Amore C, Manarini S, Pecce R, Maione A, Tognoni G, **Nicolucci A**. Persistent platelet activation in patients with type 2 diabetes treated with low doses of aspirin. *J Thromb Haemost*. 2007;5:2197-203.
300. **Nicolucci A**, De Berardis G, Sacco M, Tognoni G. AHA/ADA vs. ESC/EASD recommendations on aspirin as a primary prevention strategy in people with diabetes: how the same data generate divergent conclusions. *Eur Heart J*. 2007;28:1925-7
301. Di Pietro S, Comaschi M, Coscelli C, Cucinotta D, Giorda C, Noacco C, Vespasiani G, **Nicolucci A**; DIANE Study Group. Clinical characteristics and patterns of care of newly diagnosed type 2 diabetic patients. *Nutr Metab Cardiovasc Dis*. 2007;17:e31-3.
302. Milano M, Mola E, Collecchia G, Del Carlo A, Giancane R, Visentin G, **Nicolucci A**. Validation of the Italian version of the EUROPEP instrument for patient evaluation of general practice care. *Eur J Gen Pract*. 2007;13:92-4.
303. **Nicolucci A**, De Berardis G, Sacco M, Tognoni G. Primary prevention of cardiovascular diseases in people with diabetes mellitus: a scientific statement from the American Heart Association and the American Diabetes Association: response to Buse et al. *Diabetes Care*. 2007;30:e57; author reply e58.
304. Strippoli GF, Tognoni G, Navaneethan SD, **Nicolucci A**, Craig JC. Haemoglobin targets: we were wrong, time to move on. *Lancet*. 2007;369:346-50.
305. De Berardis G, Pellegrini F, Franciosi M, Belfiglio M, Di Nardo B, Greenfield S, Kaplan SH, Rossi MC, Sacco M, Tognoni G, Valentini M, **Nicolucci A**; QuED Study Group. Clinical and psychological predictors of incidence of self-reported erectile dysfunction in patients with type 2 diabetes. *J Urol*. 2007;177:252-7.
306. **Nicolucci A**, Greenfield S, Mattke S. Selecting indicators for the quality of diabetes care at the health systems level in OECD countries. *Int J Qual Health Care*. 2006;18 Suppl 1:26-30.
307. **Nicolucci A**, De Berardis G, Franciosi M, Pellegrini F. Outcomes Research in Diabetes: From theory to practice. Results of the QuED Study. *Drug Dev Res*. 2006;67:280-6.

308. Baum M, Hackshaw A, Houghton J, Rutqvist L, Fornander T, Nordenskjold B, **Nicolucci A**, Sainsbury R; ZIPP International Collaborators' Group. Adjuvant goserelin in pre-menopausal patients with early breast cancer: Results from the ZIPP study. *Eur J Cancer*. 2006;42:895-904.
309. Galli M, **Nicolucci A**, Valentini M, Belfiglio M, Delaini F, Crippa C, Barbui AM, Giussani U, Rambaldi A, Barbui T. Feasibility and outcome of tandem stem cell autotransplants in multiple myeloma. *Haematologica*. 2005;90:1643-9.
310. De Berardis G, Pellegrini F, Franciosi M, Belfiglio M, Di Nardo B, Greenfield S, Kaplan SH, Rossi MCE, Sacco M, Tognoni G, Valentini M, **Nicolucci A**. Longitudinal assessment of quality of life in patients with type 2 diabetes and self-reported erectile dysfunction. *Diabetes Care* 2005; 28:1643-1649.
311. De Berardis G, Pellegrini F, Franciosi M, Belfiglio M, Di Nardo B, Greenfield S, Kaplan SH, Rossi MCE, Sacco M, Tognoni G, Valentini M, **Nicolucci A**, on behalf of the QuED Study Group. Are type 2 diabetic patients offered adequate foot care? The role of physician and patient characteristics. *J Diabetes Complications* 2005;19:319-27.
312. Comaschi M, Coscelli C, Cucinotta D, Malini P, Manzato E, **Nicolucci A**; on behalf of the SFIDA Study Group - Italian Association of Diabetologists (AMD). Cardiovascular risk factors and metabolic control in type 2 diabetic subjects attending outpatient clinics in Italy: The SFIDA (survey of risk factors in Italian diabetic subjects by AMD) study. *Nutr Metab Cardiovasc Dis*. 2005;15:204-11.
313. Franciosi M, De Berardis G, Rossi MCE, Sacco M, Belfiglio M, Pellegrini F, Tognoni G, Valentini M, **Nicolucci A**. The use of the Diabetes Risk Score for Opportunistic Screening of Undiagnosed Diabetes and Impaired Glucose Tolerance. The IGLOO (Impaired Glucose Tolerance and Long-Term Outcomes Observational Study) Study. *Diabetes Care* 2005;28:1187-94.
314. Franciosi M, Pellegrini F, De Berardis G, Belfiglio M, Di Nardo B, Greenfield S, Kaplan SH, Rossi MCE, Sacco M, Tognoni G, Valentini M, and **Nicolucci A**, for the Quality of Care and Outcomes in Type 2 Diabetes (QuED) Study Group. Self-monitoring of blood glucose in non insulin treated diabetic patients: a longitudinal evaluation of its impact on metabolic control. *Diabet Med*. 2005;22:900-6.
315. Evangelista V, Totani L, Rotondo S, Lorenzet R, Tognoni G, De Berardis G, **Nicolucci A**. Prevention of cardiovascular disease in type-2 diabetes: How to improve the clinical efficacy of aspirin. *Thromb Haemostasis* 2005; 93: 8-16.
316. Franciosi M, Pellegrini F, De Berardis G, Belfiglio M, Di Nardo B, Greenfield S, Kaplan SH, Rossi MCE, Sacco M, Tognoni G, Valentini M, and **Nicolucci A**, for the Quality of Care and Outcomes in Type 2 Diabetes (QuED) Study Group. Impact of physicians' beliefs and practices on cholesterol levels in patients with type 2 diabetes: A longitudinal assessment. *Am Heart J* 2005; 149: 104-111.
317. Belfiglio M, Valentini M, Pellegrini F, De Berardis G, Franciosi M, Rossi MC, Sacco M, Nicolucci A; Interdisciplinary Group for Cancer Care Evaluated (GIVIO) Group. Twelve-year mortality results of a randomized trial of 2 versus 5 years of adjuvant tamoxifen for postmenopausal early-stage breast carcinoma patients (SITAM 01). *Cancer*. 2005;104:2334-9.
318. Palazzi C, Olivieri I, D'Amico E, D'Agostino L, **Nicolucci A**, Pennese E, Petricca A. Hepatitis C virus infection in psoriatic arthritis. *Arthritis Rheum*. 2005;53:223-5.
319. **Nicolucci A**, Giorgino R, Cucinotta D, Zoppini G, Muggeo M, Squatrito S, Corsi A, Lostia S, Pappalardo L, Benaduce E, Girelli A, Galeone F, Maldonato A, Perriello G, Pata P, Marra G, Coronel GA. Validation of the Italian version of the WHO-Well-Being Questionnaire (WHO-WBQ) and the WHO-Diabetes Treatment Satisfaction Questionnaire (WHO-DTSQ). *Diabetes Nutr Metab* 2004; 17: 235-243.
320. Franciosi M, Pellegrini F, De Berardis G, Belfiglio M, Di Nardo B, Greenfield S, Kaplan SH, Sacco M, Tognoni G, Valentini M, **Nicolucci A**. The QuED Study Group - Quality of Care and Outcomes in Type 2 Diabetes. Correlates of satisfaction for the relationship with their physician in type 2 diabetic patients. *Diabetes Res Clin Pract* 2004; 66: 277-286.

321. **Nicolucci A**, Tognoni G. Should we trust results of meta-analyses? Lancet 2004; 364: 1401.
322. Sacco M, Pellgrini F, Roncaglioni MC, Avanzini F, Tognoni G, **Nicolucci A**, on behalf of the PPP Collaborative Group. Aspirin Resistance in Diabetic Patients: Response to de Gaetano. Diabetes Care 2004; 27 (5): 1246.
323. **Nicolucci A**, Belfiglio M, Pellegrini F, Sacco M, Valentini M. In Reply: J Clin Oncol 2004; 22 (6): 1165.
324. De Berardis G, Pellegrini F, Franciosi M, Belfiglio M, Di Nardo B, Greenfield S, Kaplan SH, Rossi MCE, Sacco M, Tognoni G, Valentini M, **Nicolucci A**, on behalf of the QuED Study Group. Quality of care and Outcomes in type 2 diabetic patients. A comparison between general practice and diabetes clinics. Diabetes Care 2004; 27:398-406.
325. De Berardis G, Pellegrini F, Franciosi M, Belfiglio M, Di Nardo B, Greenfield S, Kaplan SH, Rossi MCE, Sacco M, Tognoni G, Valentini M, **Nicolucci A**, The QuED Study Group. Physicians attitudes toward foot care education and foot examination and their correlation with patient practice. Diabetes Care 2004; 27:286-287.
326. De Berardis G, Pellegrini F, Franciosi M, Belfiglio M, Di Nardo B, Greenfield S, Kaplan SH, Rossi MC, Sacco M, Tognoni G, Valentini M, **Nicolucci A** for the Quality of Care and Outcomes in Type 2 Diabetes (QuED) Study Group. Identifying type 2 diabetic patients with higher likelihood of erectile dysfunction: the role of interaction between clinical and psychological factors. The Journal of Urology 2003; 169:1422-1428.
327. The QuED Study Group - Quality of Care and Outcomes in Type 2 Diabetes (Writing Committee and Co-ordinating Centre: Pellegrini F, Belfiglio M, De Berardis G, Franciosi M, Di Nardo B, Greenfield S, Kaplan SH, Sacco M, Tognoni G, Valentini M, Corrado D, D'Ettorre A, **Nicolucci A**). Role of organizational factors in poor blood pressure control in patients with type 2 diabetes. Archives of Internal Medicine 2003; 163:473-480.
328. Sacco M, Valentini M, Belfiglio M, Pellegrini F, De Berardis G, Franciosi M, **Nicolucci A**. Randomized trial of 2 versus 5 years of adjuvant tamoxifen for women aged 50 years or older with early breast cancer: Italian interdisciplinary group for Cancer Evaluation Study of Adjuvant Treatment in Breast Cancer 01. J Clin Oncol 2003; 21:2276-2281
329. Sacco M, Pellegrini F, Roncaglioni MC, Avanzini F, Tognoni G, **Nicolucci A**, on behalf of the PPP Collaborative Group. Primary Prevention of Cardiovascular Events with Low-Dose Aspirin and Vitamin E in Type 2 Diabetic Patients. Results of the Primary Prevention Project (PPP) trial. Diabetes Care 2003; 26:3264-3272.
330. Fedele D, Corsi A, Noacco C, Prisco F, Squatrito S, Torre E, Iafusco D, Errico MK, Toniato R, **Nicolucci A**, Franciosi M, De Berardis G, Neri L. Alternative site blood glucose testing: a multicenter study Diabetes Technol Ther 2003; 5:983-9.
331. **Nicolucci A**, Franciosi M, Pellegrini F, De Berardis G. Self-monitoring of blood glucose can be effective in type 2 diabetes only if it serves a clearly identified purpose: response to Court. Diabetes Care 2002; 25: 1256.
332. Angelucci E, Muretto P, **Nicolucci A**, Baronciani D, Erer B, Gaziev J, Ripalti M, Sodani P, Tomassoni S, Visani G, and Lucarelli G. Effects of iron overload and hepatitis C virus positivity in determining progression of liver fibrosis in thalassemia following bone marrow transplantation. Blood 2002; 100:17-21.
333. The ATAC (Arimidex, Tamoxifen Alone or in Combination) Trialists' Group. (GIVIO Group... **Nicolucci A**...) Anastrozole alone or in combination with tamoxifen versus tamoxifen alone for adjuvant treatment of postmenopausal woman with early breast cancer: first results of the ATAC randomised trial. The Lancet 2002; 359:2131-39.
334. De Berardis G, Franciosi M, Belfiglio M, Di Nardo B, Greenfield S, Kaplan SH, Pellegrini F, Sacco M, Tognoni G, Valentini M, **Nicolucci A**, for The QuED Study Group. Erectile Dysfunction and Quality of Life in Type 2 Diabetic Patients: a Serious Problem too Often Overlooked. Diabetes Care 2002; 25:284-291.

335. El-Shazly M, Zaki A, **Nicolucci A**. Care-related risk factors for chronic diabetic complications in developing countries: a case from Egypt. *Public Health* 2002; 116: 289-296.
336. Genazzani AR, **Nicolucci A**, Campagnoli C, Crosignani P, Nappi C, Serra GB, Bottiglioni E, Cianci A, De Aloysio D, Sarti CD, Gambacciani M, Monteleone P, Ciaponi M, Genazzani AD, Guaschino S, Palumbo G, Petraglia F, Schonauer S, Volpe A, Coronel GA, Di Paolantonio T, Nagni M, Tempesta A; Progetto Donna Qualità della Vita Working Group Novo Nordisk Italia. Validation of Italian version of the Women's Health Questionnaire: assessment of quality of life of women from the general population and those attending menopause centers. *Climacteric* 2002; 5:70-7.
337. Genazzani AR, Nicolucci A, Campagnoli C, Crosignani P, Nappi C, Serra GB, Bottiglioni E, Cianci A, De Aloysio D, Donati Sarti C, Gambacciani M, Monteleone P, Genazzani AD, Guaschino S, Palumbo G, Petraglia F, Schonauer S, Volpe A, Di Paolantonio T, Nagni M, Tempesta A, Coronel GA; Progetto Donna Qualità della Vita Working Group. Assessment of the QoL in Italian menopausal women: comparison between HRT users and non-users. *Maturitas*. 2002;42:267-80.
338. Franciosi M, Pellegrini F, De Berardis G, Belfiglio M, Cavaliere D, Di Nardo B, Greenfield S, Kaplan SH, Sacco M, Tognoni G, Valentini M, **Nicolucci A**. The QuED Study Group - Quality of Care and Outcomes in Type 2 Diabetes The Impact of Blood Glucose Self-Monitoring on Metabolic Control and Quality of Life in Type 2 Diabetic Patients: An urgent need for better educational strategies. *Diabetes Care* 2001; 24: 1870-7.
339. Belfiglio M, De Berardis G, Franciosi M, Cavaliere D, Di Nardo B, Greenfield S, Kaplan H, Pellegrini F, Sacco M, Tognoni G, Valentini M, **Nicolucci A**. The QuED Study Group - Quality of Care and Outcomes in Type 2 Diabetes The relationship between physicians' self-reported target fasting blood glucose levels and metabolic control in type 2 diabetes. *Diabetes Care* 2001; 24:423-9.
340. The QuED Study Group - Quality of Care and Outcomes in Type 2 Diabetes (Writing Committee and Co-ordinating Centre: Belfiglio M, Cavaliere D, De Berardis G, Carinci F, Di Nardo B, Franciosi M, Pellegrini F, Tognoni G, **Nicolucci A**). Attitudes of Italian physicians towards intensive metabolic control in Type 2 diabetes. *Diabetes, Nutrition & Metabolism* 2000; 13: 149-58.
341. Early Breast Cancer Trialists' Collaborative Group. (... **Nicolucci A**...) Favourable and unfavourable effects on long-term survival of radiotherapy for early breast cancer: an overview of the randomised trials *The Lancet* 2000; 355: 1757-70.
342. El-Shazly M, Abdel-Fattah M, Zaki A, Bedwani R, Assad S, Tognoni G, **Nicolucci A**. Health care for diabetic patients in developing countries: a case from Egypt. *Public Health* 2000; 114: 276-81.
343. **Nicolucci A**, Ciccarone E, Consoli A, Di Martino G, La Penna G, Latorre A, Pandolfi A, Vitacolonna E, Capani F. Relationship between patient practice-oriented knowledge and metabolic control in intensively treated Type 1 diabetic patients: results of the validation of the Knowledge and Practices Diabetes Questionnaire. *Diabetes, Nutrition & Metabolism* 2000; 13:276-83.
344. **Nicolucci A**, Procaccini DA. Why do we need outcomes research in end stage renal diseases? *Journal of Nephrology* 2000; 13:401-4.
345. Fresco C, Carinci F, Maggioni AP, Ciampi A, **Nicolucci A**, Santoro E, Tavazzi L, Tognoni G, on behalf of the GISSI Investigators. Very early assessment of risk for in-hospital death among 11,483 patients with acute myocardial infarction. *American Heart Journal* 1999; 138:1058-64.
346. Abdel-Fattah MM, Anwar MA, Mari E, El-Shazly MK, Zaky AA, Bedwani RN, **Nicolucci A**. Patient- and system-related diagnostic delay in breast cancer. *European Journal of Public Health* 1999; 9: 15-19.
347. Scorpiglione N, Belfiglio M, Carinci F, Cavaliere D, De Curtis A, Franciosi M, Mari E, Sacco M, Tognoni G, **Nicolucci A**. The effectiveness, safety and epidemiology of the use of acarbose in the treatment of patients with type 2 diabetes mellitus. A model of medicine-based evidence. *European Journal of Clinical Pharmacology* 1999; 55: 239-49.

348. Valentini M, Mari E, Belfiglio M, **Nicolucci A**. Is adjuvant tamoxifen used optimally in the treatment of breast cancer? Results of an Italian survey. *Annals of Oncology* 1999; 10: 789-93.
349. El-Shazly M, Abdel-Fattah M, Scorpiglione N, Massi Benedetti M, Capani F, Carinci F, Carta Q, Cavaliere D, De Feo EM, Taboga C, Tognoni G, **Nicolucci A**, on behalf of the Italian Study Group for the Implementation of the St Vincent Declaration. Risk factors for lower limb complications in diabetic patients. *Journal of Diabetes and its Complications* 1998; 12: 10-17.
350. **Nicolucci A**, Carinci F, Ciampi A, on behalf of the SID-AMD Italian Study Group for the Implementation of the St Vincent Declaration. Stratifying patients at risk of diabetic complications: an integrated look at clinical, socio-economic and care-related factors. *Diabetes Care* 1998; 21: 1439-44.
351. Early Breast Cancer Trialists' Collaborative Group. (... **Nicolucci A**...) Tamoxifen for early breast cancer: an overview of the randomised trials. *Lancet* 1998; 351:1451-67.
352. Cooperative Study Group for the Prevention of Amputations in Umbria. (... **Nicolucci A**...) Lower extremity amputations in diabetic and non-diabetic patients in Umbria, Italy. *Diabetes, Nutrition & Metabolism* 1998; 11:188-93.
353. Early Breast Cancer Trialists' Collaborative Group. (... **Nicolucci A**...) Polichemotherapy for early breast cancer: an overview of the randomised trials. *Lancet* 1998; 352:930-942.
354. **Nicolucci A**, Scorpiglione N, Belfiglio M, Carinci F, Cavaliere D, El-Shazly M, Labbrozzi D, Mari E, Massi Benedetti M, Tognoni G, on behalf of the Italian Study Group for the Implementation of the St Vincent Declaration, Società Italiana di Diabetologia, Associazione Medici Diabetologi. Patterns of care of an Italian diabetic population. *Diabetic Medicine* 1997; 14:158-166.
355. Carinci F, **Nicolucci A**, Ciampi A, Labbrozzi D, Bettinardi O, Zotti AM, Tognoni G, on behalf of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico. Role of interactions between psychological and clinical factors in determining 6-month mortality among patients with acute myocardial infarction: application of recursive partitioning techniques to the GISSI-2 database. *European Heart Journal* 1997;18: 835-45.
356. **Nicolucci A**, Carinci F, Cavaliere D, Scorpiglione N, Belfiglio M, Labbrozzi D, Mari E, Massi Benedetti M, Tognoni G, Liberati A, on behalf of the Italian Study Group for the Implementation of St Vincent Declaration. A Meta-Analysis of trials on aldose reductase inhibitors in diabetic peripheral neuropathy. *Diabetic Medicine* 1996; 13:1017-26.
357. **Nicolucci A**, Carinci F, Graepel JG, Hohman TC, Ferris F, Lachin JM. The efficacy of tolrestat in the treatment of diabetic peripheral neuropathy: a meta-analysis of individual patient data. *Diabetes Care* 1996; 19:1091-96.
358. Scorpiglione N, El-Shazly M, Abdel-Fattah M, Belfiglio M, Cavaliere D, Carinci F, Labbrozzi D, Mari E, Massi Benedetti M, Tognoni G, **Nicolucci A**. Epidemiology and determinants of blood glucose self-monitoring in clinical practice. *Diabetes Research and Clinical Practice* 1996; 34:115-25.
359. Vespasiani G, Bruni M, Meloncelli I, Clementi L, Amoretti R, Branca S, Carinci F, Lostia S, **Nicolucci A**, Romagnoli F, Verga S, Massi Benedetti M. Validation of a computerised measurement system for guided routine evaluation of cardiovascular autonomic neuropathy. *Computer Methods and Programs in Biomedicine* 1996; 51:211-16.
360. Fabietti PG, Santeusano F, Iorio M, Messini B, Giovannini G, **Nicolucci A**, Carinci F, Massi Benedetti M, Brunetti P. Prevalence of known diabetes mellitus in a central region of Italy. *Diabetes, Nutrition & Metabolism* 1996; 9:3-8.
361. Bax G, Fagherazzi C, Piarulli F, **Nicolucci A**, Fedele D. Reproducibility of Michigan Neuropathy Screening Instrument (MNSI). *Diabetes Care* 1996; 19:904-5.
362. **Nicolucci A**, Cavaliere D, Scorpiglione N, Carinci F, Capani F, Tognoni G, Massi Benedetti M, The SID-AMD Italian Study Group for the Implementation of the St Vincent Declaration. A

comprehensive assessment of the avoidability of long term complications of diabetes mellitus: a case-control study. *Diabetes Care* 1996; 19:927-33.

363. Scorpiglione N, **Nicolucci A**, Grilli R, Angiolini C, Belfiglio M, Carinci F, Cubasso D, Filardo G, Labbrozzi D, Mainini F, Mari E, Penna A, Zola P, Liberati A, on behalf of Progetto Oncologia Femminile. Appropriateness and variation of surgical treatment of breast cancer in Italy: when excellence in clinical research does not match with generalized good quality care. *Journal of Clinical Epidemiology* 1995; 48:345-52.
364. GIVIO (Interdisciplinary Group for Cancer Care Evaluation, Italy - Coordinating center: Liberati A, Fossati R, Meyerowitz BE, Apolone G, Mosconi P, Liberati MC, Marsoni S, Torri V, Alexanian A, Grilli R, **Nicolucci A**, Monferroni N.) The GIVIO Trial on the impact of follow-up care on survival and quality of life in breast cancer patients. *Annals of Oncology* 1995; 6 (suppl 2): 41-46.
365. Labbrozzi D, **Nicolucci A**. Caring for the patient with diabetes. In: Scroccaro G, Martini N, Delporte JP, Husson C, Walker R, eds. *Progress in clinical pharmacy. Clinical trials and pharmacoepidemiology*. Noordwijk, Netherlands: European Society of Clinical Pharmacy 1994.
366. Clerici M, Panvini D, Torri V, Colombo F, Luporini G, Tinazzi A, **Nicolucci A**, Marsoni S. Patterns of care and survival in non small cell lung cancer: 15 years' experience in a general hospital. *Tumori* 1994; 80:106-12.
367. GIVIO (Interdisciplinary Group for Cancer Care Evaluation, Italy - Coordinating center: Liberati A, Fossati R, Meyerowitz BE, Apolone G, Mosconi P, Liberati MC, Marsoni S, Torri V, Alexanian A, Grilli R, **Nicolucci A**, Monferroni N.) Impact of follow-up testing on survival and health-related quality of life in breast cancer patients. *Journal of the American Medical Association (JAMA)* 1994; 271 (20): 1587-92.
368. Grilli R, Scorpiglione N, **Nicolucci A**, Mainini F, Penna A, Mari E, Belfiglio M, Liberati A. Variation in use of breast surgery and characteristics of hospitals' surgical staff. *International Journal for Quality in Health Care* 1994; 6: 233-38.
369. Cavaliere D, Scorpiglione N, Belfiglio M, Carinci F, Cubasso D, Labbrozzi D, Mari E, Massi Benedetti M, Pontano C, Tognoni G, **Nicolucci A**, on behalf of the Study Group for the Application of the St Vincent Declaration. Quality assessment of randomised clinical trials on medical treatment of diabetic neuropathy. *Diabetes, Nutrition & Metabolism* 1994; 7: 287-94.
370. Pierelli L, Iacone A, Quaglietta AM, **Nicolucci A**, Menichella G, Benedetti Panici P, D'Antonio D, De Laurenzi A, De Rosa L, Fioritoni G, Indovina A, Leone G, Majolino I, Montuoro A, Scimè R, Torlontano G. Haematopoietic reconstitution after autologous blood stem cell transplantation in patients with malignancies: a multicentre retrospective study. *British Journal of Haematology* 1994; 86:70-75.
371. Casale C, Labbrozzi D, **Nicolucci A**, Carinci F, Avanzi C, Dell'Aquila R, Forcella M, Montemurno C, Procaccini DA, Ruscitto F, Spada S, Stella I. Evaluation of the efficiency of a nephrology department by the DRGs and Barbar's nomogram. *Contributions to Nephrology* 1994; 109:84-89.
372. Alexanian AA, Scorpiglione N, Apolone G, Fossati R, Liberati A, Grilli R, Liberati M C, Marsoni S, Monferroni N, Mosconi P, **Nicolucci A**, Torri V. Breast cancer surgery in 30 Italian general hospitals. *European Journal of Surgical Oncology* 1993; 19:123-9.
373. **Nicolucci A**, Mainini F, Penna A, Scorpiglione, Grilli R, Angiolini G, Mari E, Zola P, Liberati A. The influence of patient characteristics on the appropriateness of surgical treatment for breast cancer patients. *Annals of Oncology* 1993; 4:133-40.
374. Pierelli L, Iacone A, Quaglietta AM, **Nicolucci A**, Menichella G, Benedetti Panici P, De Laurenzi A, De Rosa L, Fioritoni G, Indovina A, Leone G, Majolino I, Montuoro A, Scimè R. Autologous blood stem cell collection after chemotherapy in patients with sensitive and refractory malignancies: a multicenter retrospective study. *The International Journal of Artificial Organs* 1993; 16 (S-5):19-24.

375. **Nicolucci A**, Cavaliere D, Belfiglio M, Carinci F, Mari E, Massi Benedetti M, Pontano C, Scorpiglione N, Tognoni G, on behalf of the Gruppo di Studio per l'Applicazione della dichiarazione di St Vincent. A case-control study on the risk factors for the development of some long term diabetic complications: design and feasibility. *Diabetes, Nutrition & Metabolism* 1993; 6:357-60.
376. Tardioli MC, Massi Benedetti M, Angeli G, Damiani F, Frascarelli A, Gigliarelli D, Masci D, Narducci P, Norgiolini R, **Nicolucci A**, Pastorelli G, Rossi AL, Settonce S, Toppetti ML, Brunetti P. A pilot study for the screening of gestational diabetes mellitus. *Diabetes, Nutrition & Metabolism* 1993; 6:377-80.
377. Scionti L, Ciabattoni A, Angeli A, Belladonna D, Bracaccia M, Campanelli C, Cavani E, Cicioni G, Coletti A, Cozzari M, Divizia G, Frascarelli A, Gagliardo S, Giannico G, Marcacci R, Norgiolini R, Pocciati S, Vignai E, **Nicolucci A**, Massi Benedetti M. A retrospective survey of non-traumatic lower-extremity amputations in diabetic patients in Umbria, Italy. *Diabetes, Nutrition & Metabolism* 1993; 6:381-2.
378. Iacone A, Pierelli L, Quaglietta AM, **Nicolucci A**, Menichella G, Di Bartolomeo P, De Laurenzi A, Fioritoni G, Indovina A, Leone G, Majolino I, Montuoro A, Di Marzio A, Torlontano G. Survival after PBSC transplantation and comparison of engraftment speed with autologous and allogenic marrow transplantation: results of a multicenter study. *The International Journal of Artificial Organs* 1993; 16 (S-5):45-50.
379. DO IT EASD STUDY GROUP (... **Nicolucci A**...). Guidelines to support the optimal implementation and use of information systems in diabetes care. *Diabetes, Nutrition & Metabolism* 1992; 5:141-50.
380. **Nicolucci A**, Cubasso D, Labbrozzi D, Mari E, Impicciatore P, Procaccini DA, Forcella M, Stella I, Querques M, Pappani A, Passione A, Strippoli P. Effect of co-existent diseases on survival of patients undergoing dialysis. *ASAIO Journal* 1992; 38: M291-M295.
381. GIVIO (Interdisciplinary Group for Cancer Care Evaluation, Italy - Coordinating center: Alexanian A, Apolone G, Fossati R, Grilli R, Marsoni S, Monferroni N, **Nicolucci A**, Taiana A, Torri V, Zola P.) Disclosure of breast cancer diagnosis: Patient and physician reports. *Annals of Oncology* 1991; 2:273-80.
382. Liberati A, Apolone G, **Nicolucci A**, Confalonieri C, Fossati R, Grilli R, Torri V, MosconiP, Alexanian A. The role of attitudes, beliefs, and personal characteristics of Italian physicians in the surgical treatment of early breast cancer. *American Journal of Public Health* 1991; 81:38-42.
383. GIVIO (Interdisciplinary Group for Cancer Care Evaluation, Italy - Writing Committee: Fossati R, Alexanian A, Liberati A, Marsoni S, Monferroni N, **Nicolucci A**, Parazzini F, Giganti M, Piffanelli A.) Breast cancer estrogen and progesterone receptors: associations with patients' clinical and epidemiological characteristics. *Tumori* 1991; 77:472-8.
384. Grilli R, Apolone G, Marsoni S, **Nicolucci A**, Zola P, Liberati A. The impact of patient management guidelines on the care of breast, colo-rectal and ovarian cancer patients in Italy. *Medical Care* 1991; 29:50-63.
385. Grilli R, Alexanian A, Apolone G, Fossati R, Marsoni S, **Nicolucci A**, Torri W, Zola P, Compagnucci M, Di Mambro E, Grazzini G, Mesi L, Palmieri D, Tonini G, Liberati A. The impact of cancer treatment guidelines on actual practice in Italian general hospitals: the case of ovarian cancer. *Annals of Oncology* 1990; 1:112-8.
386. Grilli R, Alexanian A, Apolone G, Confalonieri C, Fossati R, Liati P, Liberati MC, Marsoni S, Mosconi P, Monferroni N, **Nicolucci A**, Taiana A, Torri V, Zola P, Liberati A. Trends in patterns of care for breast cancer in Italy (1979-1987). *Tumori* 1990; 76:184-9.
387. Apolone G, Grilli R, Alexanian A, Confalonieri C, Labianca R, Liati P, Marsoni S, Matignoni G, Mosconi P, **Nicolucci A**, Pancera GF, Taiana A, Torri W, Zaniboni A, Liberati A. Quality of care of colo-rectal cancer patients in general hospitals: diffusion and impact of management guidelines. *Tumori* 1990; 76:261-9.

388. Grilli R, Apolone G, Liberati A, **Nicolucci A**. Impact of the National Task Force on the quality of assistance to neoplasm patients: results and implications of a study on implementation of educational intervention. *Epidemiologia e Prevenzione* 1990; 12: 50-61.
389. Alexanian A, Apolone G, Fossati R, Grilli R, Mosconi P, **Nicolucci A**, Liberati A, on behalf of GIVIO. Diagnosis and first line treatment of patients with lung cancer in italian general hospitals. *Tumori* 1989; 75:163-7.
390. **Nicolucci A**, Grilli R, Alexanian A, Apolone G, Torri W, Liberati A. Quality, evolution and clinical implications of randomized, controlled trials on the treatment of lung cancer. A lost opportunity for meta-analysis. *Journal of the American Medical Association (JAMA)* 1989; 262:2101-7.
391. Zola P, Volpe T, Castelli G, Sismondi P, **Nicolucci A**, Parazzini F, Liberati A. Is the published literature a reliable guide to decide between alternative treatments for patients with early cervical cancer? *International Journal of Radiation Oncology, Biology, Physics* 1989; 16:785-97.
392. Capani F, D'Emilio A, Marchioli R, **Nicolucci A**, Vitacolonna E, Menduni P, Sensi S. Circadian rhythm of albumin excretion rate in healthy subjects. *Chronobiologia* 1988; 15:213-6.
393. Parazzini F, Di Mambro E, Apolone G, Fossati R, **Nicolucci A**, Tognoni G, Torri W, Liberati A, on behalf of GIVIO. Oestrogen receptor status and risk factors for breast cancer. *Oncology* 1988; 45:303-7.
394. Liberati A, Blum AL, Apolone G, **Nicolucci A**. Basic principles for use and interpretation of epidemiologic data. In: Chalmers TC, ed. *Data analysis for clinical medicine. The quantitative approach to patient care in gastroenterology*. Rome: International University Press 1988:31-47.
395. Fossati R, Confalonieri C, Apolone G, **Nicolucci A**, Tognoni G, Torri W, Liberati A, on behalf of GIVIO. Performance of general hospitals in delivering adjuvant chemotherapy to breast cancer patients. *Tumori* 1988; 74:377-86.
396. **Nicolucci A**, Apolone G, Fossati R, Mosconi P, Confalonieri C, Torri W, Liberati A, on behalf of GIVIO. Survey of treatment of primary breast cancer in Italy. *British Journal of Cancer* 1988; 57:630-4.
397. Nuccetelli F, Assetta M, Marchioli R, **Nicolucci A**, Capani F, Gambi D. Lack of association between Multiple Sclerosis and Diabetes Mellitus. *Rivista di Neurologia* 1987; 57:122-4.
398. Capani F, Vitacolonna E, **Nicolucci A**, Loragno MR, Della Loggia F, Sensi S. Can a strict glycemic control increase the probability of a remission phase in newly diagnosed type I diabetic subjects? In: Brunetti P, Waldhausl WK, eds. *Advanced models for the therapy of insulin-dependent diabetes*. New York: Raven Press. *Serono Symposia Publications from Raven Press* 1987; 37:211-5.